




# TUFFSTUFF FITNESS INTERNATIONAL

## OWNER'S MANUAL

### Maintenance & Assembly Instructions

**IMPORTANT:** KEEP THIS MANUAL FOR FUTURE REFERENCE



## NOTICE

### It is the Purchaser's/Owner's obligation:

1. To disclose and post all Rules & Regulations, Danger, Warning and Caution labels affixed on the machine to their customers/users.
2. Equipment to be installed by TFI Authorized Dealer or a service company approved by TFI.
3. Provide trained personnel, supervision and correct usage of the equipment.
4. Provide scheduled inspection, maintenance & repairs and must be performed by TFI Authorized Dealer or a service company approved by TFI.
5. Must use only genuine TFI replacement parts.

## CLH-300

### Horizontal Plate Load Leg Press/Hack Squat


# Table of Contents



|                                                     |            |
|-----------------------------------------------------|------------|
| Overhead Specifications.....                        | Page 3     |
| Danger, Warning, & Caution Labels Information ..... | Page 4-7   |
| Important Safety Instructions.....                  | Page 8     |
| Registration, Service & Assembly .....              | Page 9     |
| Inspection/Maintenance .....                        | Page 10    |
| Cable Inspection.....                               | Page 11    |
| Step 1 .....                                        | Page 12    |
| Step 2 .....                                        | Page 13    |
| Step 3 .....                                        | Page 14    |
| Step 4.....                                         | Page 15    |
| Step 5.....                                         | Page 16    |
| Step 6 Cable Routing .....                          | Page 17    |
| Step 7 .....                                        | Page 18    |
| Step 8.....                                         | Page 19    |
| Rail Wheel Maintenance                              |            |
| Rail Wheel Replacement Steps.....                   | Page 20-21 |
| Rail Wheel Adjustment.....                          | Page 22-23 |
| Parts List.....                                     | Page 24    |
| Pre-Assembled Components .....                      | Page 25-27 |
| Warranty .....                                      | Page 28    |


TuffStuff Fitness International Inc. continually engages in research related to product improvements. Please take the time to carefully read through this owner's manual thoroughly. Instructions contained in this owner's manual are not intended to cover all details or variations possible with equipment, or to cover every contingency that may be met in conjunction with assembly, installation, operation, maintenance or troubleshooting of the equipment. Even though we have prepared this owner's manual with extreme care, neither the manufacturer nor the author can accept responsibility for any errors in, or omission from, the information given. Should additional information be required, or should situations arise that are not covered by this owner's manual, the matter should be directed to Customer Service at TuffStuff Fitness International Inc. in Chino, California.

# Overhead Specifications




**L 85" X W 33" X H 55"**  
**MAX-LOAD WEIGHT LIMIT - 800 Lbs.**

# Carefully read ALL Danger, Warning & Caution labels posted on the machine



# Carefully read ALL Danger, Warning & Caution labels posted on the machine



**103**

**⚠ WARNING**

Serious injury or death can occur if these rules and precautions are not observed:

1. Read and Understand Owner's Manual and all DANGER, WARNING and CAUTION labels before using this equipment. If you still need help, seek assistance from floor personnel.
2. Obtain a medical exam before beginning any exercise program.
3. Stop exercising if you feel faint or dizzy. Consult a physician if you are experiencing pain.
4. Inspect equipment prior to use for wear and tear, loose fittings, worn or frayed cables/belts and frame welds. Do not use if it appears damaged or inoperable.
5. Do not attempt to fix or free any jammed parts by yourself. Seek assistance from floor personnel.
6. Use this equipment only for the intended use and for exercise(s) shown in the exercise label.
7. Keep body, clothing and hair clear from all moving parts.
8. Children must not be allowed near this machine. Teenager must be supervised.
9. Make sure the selector pin is completely inserted. Use only the selector pin provided by the manufacturer. If difficulty inserting the pin, seek assistance from floor personnel.
10. Never pin the weights in an elevated position. Do not use the machine if found in this condition. Inform floor personnel immediately.
11. Do not modify selectorized weight stack with any add-on incremental weights or dumbbells, except those with standard factory installed.
12. Do not remove labels affixed to the machine. Replace if damaged.

TuffStuff Fitness International  
Chino, CA 91710, USA  
BNH3134

**97**

**INSPECTIONS**

| Recommended Inspection                                                                                                           | DAILY | WEEKLY | MONTHLY | 6-MONTH | YEARLY |
|----------------------------------------------------------------------------------------------------------------------------------|-------|--------|---------|---------|--------|
| Replace all parts at first signs of wear or damage.                                                                              |       |        |         |         |        |
| <b>INSPECT:</b><br>Links, pull-pins, snap locks, swivels, connectors, selector pin, and welded-joints.                           | X     |        |         |         |        |
| <b>CLEAN:</b><br>Upholstery with lanolin-base cleaner. Do not use Windex.                                                        | X     |        |         |         |        |
| <b>INSPECT:</b><br>Cables, Belts and tension (adjust if needed).                                                                 | X     |        |         |         |        |
| <b>INSPECT:</b><br>All labels                                                                                                    |       | X      |         |         |        |
| <b>INSPECT:</b><br>All nuts and bolts (tighten if needed).                                                                       |       | X      |         |         |        |
| <b>INSPECT:</b><br>Accessory bars, handles, rubber grips.                                                                        |       | X      |         |         |        |
| <b>INSPECT:</b><br>All anti-skid surfaces.                                                                                       |       | X      |         |         |        |
| <b>CLEAN &amp; LUBRICATE:</b><br>Clean guide rods with Super Lube® spray lubricant and lubricate with Super Lube® (PTFE) grease. |       |        | X       |         |        |
| <b>LUBRICATE:</b><br>Seat sleeves, pull-pin sliding mechanism, bushings and linear bearings.                                     |       |        | X       |         |        |
| <b>CLEAN &amp; WAX:</b><br>All powder-coat finishes.                                                                             |       |        |         | X       |        |
| <b>REPLACE:</b><br>Cables & connecting parts.                                                                                    |       |        |         |         | X      |

Use only genuine TuffStuff replacement parts. Failure to do so will void warranty and could result in serious injury or death.

TuffStuff Fitness International  
Chino, CA 91710, USA  
www.tuffstufffitness.com BNH3137

**92**

**⚠ CAUTION**

**CHECK**

Pull-pin is fully engaged in the hole before use.

BNH2912

**98**

**⚠ WARNING**

Keep body, hands and fingers clear of all moving parts.

BNH2908

**99**

**TUFFSTUFF FITNESS INTERNATIONAL, INC.**

**1-888-884-8275**  
www.tuffstufffitness.com

**MODEL** \_\_\_\_\_

**SERIAL #** \_\_\_\_\_

BNH3147

**102**

**⚠ WARNING**

Keep body, hands and fingers clear of all moving parts.

BNH2909

**101**

**⚠ WARNING**

Keep body, hands and fingers clear of all moving parts.

BNH2908

**105**

**TF**

**98**

**SCHEDULE**  
Replacement Parts

| Recommended TuffStuff Parts (replace or as needed) | 9-MONTH | 12-MONTH | 15-MONTH | 18-MONTH |
|----------------------------------------------------|---------|----------|----------|----------|
| Upholstery                                         | X       |          |          |          |
| Foam Rolls                                         | X       |          |          |          |
| Cables                                             |         | X        |          |          |
| Rubber Grips                                       |         | X        |          |          |
| Nylon Handles                                      |         |          | X        |          |
| Pull-Pins                                          |         |          | X        |          |
| Plastic Guides                                     |         |          | X        |          |
| Weight Selector Pin                                |         |          | X        |          |
| Abdominal Strap                                    |         |          | X        |          |
| Adj. Release Handle                                |         |          |          | X        |
| Black Caster Wheels                                |         |          |          | X        |
| Buckle Seat/Belt                                   |         |          |          | X        |
| Labels (as needed)                                 |         |          |          |          |

Use only TuffStuff replacement parts when servicing. Failure to do so will void warranty on product and could result in personal injury.

TuffStuff Fitness International  
13971 Norton Avenue  
Chino, CA 91710  
BNH3135

# Carefully read ALL Danger, Warning & Caution labels posted on the machine

97

| INSPECTIONS                                                                                                                      |       |        |         |         |        |
|----------------------------------------------------------------------------------------------------------------------------------|-------|--------|---------|---------|--------|
| Recommended Inspection                                                                                                           | DAILY | WEEKLY | MONTHLY | 6-MONTH | YEARLY |
| Replace all parts at first signs of wear or damage.                                                                              |       |        |         |         |        |
| <b>INSPECT:</b><br>Links, pull-pins, snap locks, swivels, connectors, selector pin, and welded-joints.                           | X     |        |         |         |        |
| <b>CLEAN:</b><br>Upholstery with lanolin-base cleaner. Do not use Windex.                                                        | X     |        |         |         |        |
| <b>INSPECT:</b><br>Cables, Belts and tension (adjust if needed).                                                                 | X     |        |         |         |        |
| <b>INSPECT:</b><br>All labels                                                                                                    |       | X      |         |         |        |
| <b>INSPECT:</b><br>All nuts and bolts (tighten if needed).                                                                       |       | X      |         |         |        |
| <b>INSPECT:</b><br>Accessory bars, handles, rubber grips.                                                                        |       | X      |         |         |        |
| <b>INSPECT:</b><br>All anti-skid surfaces.                                                                                       |       | X      |         |         |        |
| <b>CLEAN &amp; LUBRICATE:</b><br>Clean guide rods with Super Lube® spray lubricant and lubricate with Super Lube® (PTFE) grease. |       |        | X       |         |        |
| <b>LUBRICATE:</b><br>Seat sleeves, pull-pin sliding mechanism, bushings and linear bearings.                                     |       |        | X       |         |        |
| <b>CLEAN &amp; WAX:</b><br>All powder-coat finishes.                                                                             |       |        |         | X       |        |
| <b>REPLACE:</b><br>Cables & connecting parts.                                                                                    |       |        |         |         | X      |
| Use only genuine TuffStuff replacement parts. Failure to do so will void warranty and could result in serious injury or death.   |       |        |         |         |        |
| TuffStuff Fitness International<br>Chino, CA 91710, USA<br>www.tuffstufffitness.com BNH3137                                      |       |        |         |         |        |

98

| SCHEDULE<br>Replacement Parts                                                                                                            |         |          |          |          |
|------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|----------|----------|
| Recommended TuffStuff Parts<br>(replace or as needed)                                                                                    | 9-MONTH | 12-MONTH | 15-MONTH | 18-MONTH |
| Upholstery                                                                                                                               | X       |          |          |          |
| Foam Rolls                                                                                                                               | X       |          |          |          |
| Cables                                                                                                                                   |         | X        |          |          |
| Rubber Grips                                                                                                                             |         | X        |          |          |
| Nylon Handles                                                                                                                            |         |          | X        |          |
| Pull-Pins                                                                                                                                |         |          | X        |          |
| Plastic Guides                                                                                                                           |         |          | X        |          |
| Weight Selector Pin                                                                                                                      |         |          | X        |          |
| Abdominal Strap                                                                                                                          |         |          | X        |          |
| Adj. Release Handle                                                                                                                      |         |          |          | X        |
| Black Caster Wheels                                                                                                                      |         |          |          | X        |
| Buckle Seat/Belt                                                                                                                         |         |          |          | X        |
| Labels (as needed)                                                                                                                       |         |          |          | X        |
| Use only TuffStuff replacement parts when servicing. Failure to do so will void warranty on product and could result in personal injury. |         |          |          |          |
| TuffStuff Fitness International<br>13971 Norton Avenue<br>Chino, CA 91710<br>BNH3135                                                     |         |          |          |          |

103

**WARNING**

**Serious injury or death can occur if these rules and precautions are not observed:**

- Read and Understand** Owner's Manual and all DANGER, WARNING and CAUTION labels before using this equipment. If you still need help, seek assistance from floor personnel.
- Obtain a **medical exam** before beginning any exercise program.
- Stop exercising** if you feel faint or dizzy. Consult a physician if you are experiencing pain.
- Inspect equipment** prior to use for wear and tear, loose fittings, worn or frayed cables/belts and frame welds. Do not use if it appears damaged or inoperable.
- Do not attempt to fix** or free any jammed parts by yourself. Seek assistance from floor personnel.
- Use this equipment only for the intended use** and for exercise(s) shown in the exercise label.
- Keep body, clothing and hair **clear from all moving parts**.
- Children must not be allowed** near this machine. Teenager must be supervised.
- Make sure the selector pin** is completely inserted. Use only the selector pin provided by the manufacturer. If difficulty inserting the pin, seek assistance from floor personnel.
- Never pin the weights in an elevated position.** Do not use the machine if found in this condition. Inform floor personnel immediately.
- Do not modify selectorized weight stack** with any add-on incremental weights or dumbbells, except those with standard factory installed.
- Do not remove labels** affixed to the machine. Replace if damaged.

TuffStuff Fitness International  
Chino, CA 91710, USA  
BNH3134

104

**WARRANTY**

**LIGHT COMMERCIAL**

**TEN (10) YEARS:**

- Frames, welds, cams and weight plates

**FIVE (5) YEARS:**

- Pivot bearings, pulleys, bushings, gas shocks and guide rods

**ONE (1) YEAR:**

- Belts, linear bearings and pull-pin components

**ALL OTHER PARTS** not mentioned, one year from the date of delivery to the original purchaser.

**SIX (6) MONTHS:**

- Upholstery, cables, finish and rubber grips

**Light Commercial Use:**

Light Commercial warranty applies only to facilities like hotels, apartment complexes, personal training studios, fire & police stations, etc. where the equipment would be used by no more than 30 people per day.

Refer to the Owner's Manual for details, assembly & maintenance requirements, review and understand all danger, warning and caution labels.

All warranty periods begin to run from the date of delivery to the original purchaser. The obligation of TuffStuff under this warranty is limited to repairing or replacing warranted defective parts, as TuffStuff may elect, at TuffStuff's facility in Chino, California, without charge to the Purchaser for either parts or labor. Purchaser is responsible for installation of repaired or replaced parts, and all transportation and insurance costs to and from TuffStuff's facility in Chino. For a detailed copy of the warranty, please contact:

TuffStuff Fitness International  
Chino, CA 91710, USA  
www.tuffstufffitness.com  
BNH3136

93

**DANGER**

**TIGHTEN**  
this retaining nut before use.

BNH3146

94

**DANGER**

**Do Not REMOVE**  
This Safety Bolt.

BNH2906

95

**DANGER**

**Use this equipment ONLY for its intended purpose.**

If you are unfamiliar with the equipment or procedure, refer to your Owner's Manual or call TuffStuff at 888-884-8275.

Failure to comply could result in serious injury or death.

BNH2903

96

**IMPORTANT**

For smooth performance, lubricate all gliding surfaces with silicone spray lubricant.

BNH2916

# Carefully read ALL Danger, Warning & Caution labels posted on the machine

100



101



102



92



99



105



47

## BE ALERT!

**THE FITNESS EQUIPMENT IN THIS FACILITY PRESENTS HAZARDS WHICH, IF NOT AVOIDED, COULD CAUSE SERIOUS INJURY OR DEATH.**

Prior to using the equipment, **READ** the warning labels and instruction placards affixed to each machine.

If you are unsure on how to use a machine, seek the assistance of our floor personnel. We will be happy to instruct you on how to use the equipment properly.

Immediately report any piece of equipment that is not functioning properly to our floor personnel so that it may be evaluated and service promptly.

**DO NOT ATTEMPT** to use or fix any piece of equipment that is not functioning properly.

ASTM F1749-96

TUFFSTUFF FITNESS INTERNATIONAL, CHINO, CA 91710

BNH3138

It is extremely important that the **Facility Sign** shown to the left be installed in plain view of the unit.

You should have received it along with this Owner's Manual. If you did not receive this Facility Sign with your order, you can obtain one at no cost to you from TuffStuff Fitness by contacting our service department at:

1 (888) 884-8275  
service@tuffstuff.net  
service1@tuffstuff.net

# Important Safety Instructions



*It is the responsibility of the facility owner and/or owner of the equipment to review the Owner's Manual with their facility personnel and understand all Danger, Warning and Caution labels affixed on the machine. It is the responsibility of the floor personnel to instruct users on proper operation of the equipment and review all danger, warning and caution labels.*

## **WARNING** SERIOUS INJURY OR DEATH CAN OCCUR IF THESE SAFETY PRECAUTIONS ARE NOT OBSERVED:

1. Obtain a medical exam before beginning any exercise program.
2. Read and understand Owner's Manual and all **Danger, Warning and Caution** labels before using this equipment. If you still need help, seek assistance from floor personnel.
3. **Inspect the equipment** before each use for wear and tear, loose fittings, worn or frayed cables and frame welds. **DO NOT USE** if it appears to be inoperable or damaged.
4. Stop exercising if you feel faint or dizzy. Consult a physician if you are experiencing pain.
5. **Use this equipment only for the intended use.**
6. Keep body, clothing and hair clear from all moving parts. Do not attempt to free any jammed parts by yourself.
7. Always warm-up before and cool-down after weight training. Warm-up for 10-15 minutes with stretching and cardiovascular exercises. Cool-down should include light stretching exercises for 5-15 minutes.
8. Never hold your breath – will limit the flow of oxygen to your brain and may cause dizziness. The most often used breathing pattern is inhaling during least resistance and exhaling during maximum resistance.
9. Do not use accessories or accessory attachments that are not recommended by TFI.
6. Perform regular maintenance (see Inspection Label). Pay special attention to areas most susceptible to wear and tear, including but not limited to cables, pulleys and rubber grips.
7. **Do not** lean against or pull on the framework, weight stack or any component at all times.
8. **Children must not** be allowed near the equipment. Teenager must be supervised.
9. Replace immediately all parts at first sign of wear or damage. If unable to replace worn or damaged components/parts, remove machine from service until the repair is made.
10. Use only genuine TuffStuff replacement parts. Failure to do so will void warranty and could result in serious injury or death to the users.
11. **Do not remove** any decals affixed to the machine. Replace if damaged.
12. **Do not alter or modify** the original manufacturer's weight stack with any add-on incremental weights, weight plates or dumbbells except those with standard factory installed option.
13. Maintain a service contract with a TFI Authorized Dealer or a Professional Service Company approved by TFI. Keep a service log of all maintenance and repair activities. **NOTICE:** It is the sole responsibility of the owner or facility operator to ensure that regular maintenance is performed.

## Facility Safety Guidelines and Practices

1. Read and understand the Owner's Manual before assembling, servicing or using the equipment.
2. Equipment to be installed by TFI Authorized Dealer or Professional Service Company approved by TFI.
3. Make sure each machine is set up and operated on a solid level surface. Do not install equipment on an uneven surface.
4. Provide an adequate safety perimeter between the machine, walls and other equipment to ensure that the facility has proper clearance for usage and training.
5. Post and disclose all safety, rules and regulations on a bulletin board easily accessible to users.



**DANGER:** indicates an imminently hazardous situation which, if not avoided, will result in death or serious injury.



**WARNING:** indicates a potentially hazardous situation which, if not avoided, will result in death or serious injury.



**CAUTION:** indicates a hazardous situation which, if not avoided, could result in minor or moderate injury.

# Registration, Service & Assembly



**Thank you for purchasing the CLH-300 Horizontal Plate Load Leg Press/Hack Squat. This machine is part of the TuffStuff line of quality strength training equipment. To maximize your use of the equipment, please study the Owner's Manual thoroughly.**

## Registration

To avoid unnecessary delays on warranty parts and to insure that a permanent record of your purchase is on file with our company, be sure to register online at <http://www.tuffstufffitness.com> or mail to address shown below within 10 days of purchase.

## Obtaining Service

Please use this Owner's Manual as your guide to all parts included in your shipment. When ordering parts, you must specify the part number and description from this owner's manual. **Use only genuine TuffStuff replacement parts when servicing the equipment.** Failure to do so will void warranty and could result in serious injury or death.

For information about product operation or service:

Phone: 909-629-1600 Toll Free 888-884-8275

Fax: 909-629-4967

E-mail: [service@tuffstuff.net](mailto:service@tuffstuff.net) or [service1@tuffstuff.net](mailto:service1@tuffstuff.net)

Hours: M–F 8:00 – 4:30 PST

Or write to: TuffStuff Fitness International Inc.

Customer Service

13971 Norton Avenue, Chino, CA 91710

**Retain this Owner's Manual for future reference when ordering service or parts. To assist you better, please be prepared to provide the following information:**

- |                         |                                  |
|-------------------------|----------------------------------|
| <b>1. Model Number</b>  | <b>2. Place of Purchase</b>      |
| <b>3. Serial Number</b> | <b>4. Part # and Description</b> |

## Required Tools

The basic tools that you will need to assemble the CLH-300 but are not limited to:

- 9/16", 3/4", 1/2" combination wrenches
- Adjustable wrench
- Ratchet wrench with 9/16", 3/4", 1/2" sockets
- External retaining ring pliers
- Rubber mallet, measuring tape & utility knife
- Super Lube® spray lubricant and grease
- Windex or household glass cleaner

## Assembly Requirements

Follow these installation requirements when assembling the CLH-300. Use the overhead view on the Content Page to layout your floor plan before assembling.

Set up the CLH-300 on a clean, solid, flat surface. A smooth, flat surface under the machine helps keep it level.

Allow ample space around the machine for safe unrestricted use and easier access.

For aesthetic appearance, insert all bolts in the same direction unless specified (in text or illustration) to do otherwise.

Leave room for adjustments. Do not fully tighten fasteners until instructed in the assembly steps to do so (to prevent any difficulty with alignment of parts during the assembly process). When not instructed, tighten fasteners such as bolts, nuts and screws so the unit is stable, but leave room for adjustments.

## Assembly Tips

Read all "Notes" on each page before beginning each step.


While you may be able to assemble the CLH-300 using the illustrations only, IMPORTANT safety notes and other tips are included in the text.

Some pieces may have extra holes that you will not use. Use only those holes indicated in the instructions and illustration.


**NOTE:** With so many assembled parts, proper alignment and adjustment is critical. While tightening the nuts and bolts, be sure to leave room for final adjustments.

**CAUTION:** Obtain assistance from TFI if you have difficulty assembling the CLH-300. Please do not attempt to complete the assembly as this could result in equipment failure and serious injuries to the users.

## Symbols & Description



Loosely Tighten



Loosely Tighten

Loosely tighten all hardware in this step. DO NOT Fully Tighten. Some component(s) may need pre-assembly and or alignment during the assembly process.

Fully Tighten



Fully Tighten

Wrench tighten all hardware in this step.



| INSPECTIONS                                                                                                                                                   |       |        |         |         |        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|---------|---------|--------|
| Recommended Inspection                                                                                                                                        | DAILY | WEEKLY | MONTHLY | 6-MONTH | YEARLY |
| <b>INSPECT:</b><br>Replace all parts at first signs of wear or damage.<br>Links, pull-pins, snap locks, swivels, connectors, selector pin, and welded-joints. | X     |        |         |         |        |
| <b>CLEAN:</b><br>Upholstery with lanolin-base cleaner. Do not use Windex.                                                                                     | X     |        |         |         |        |
| <b>INSPECT:</b><br>Cables, Belts and tension (adjust if needed).                                                                                              | X     |        |         |         |        |
| <b>INSPECT:</b><br>All labels                                                                                                                                 |       | X      |         |         |        |
| <b>INSPECT:</b><br>All nuts and bolts (tighten if needed).                                                                                                    |       | X      |         |         |        |
| <b>INSPECT:</b><br>Accessory bars, handles, rubber grips.                                                                                                     |       | X      |         |         |        |
| <b>INSPECT:</b><br>All anti-skid surfaces.                                                                                                                    |       | X      |         |         |        |
| <b>CLEAN &amp; LUBRICATE:</b><br>Clean guide rods with Super Lube® spray lubricant and lubricate with Super Lube® (PTFE) grease.                              |       |        | X       |         |        |
| <b>LUBRICATE:</b><br>Seat sleeves, pull-pin sliding mechanism, bushings and linear bearings.                                                                  |       |        | X       |         |        |
| <b>CLEAN &amp; WAX:</b><br>All powder-coat finishes.                                                                                                          |       |        |         | X       |        |
| <b>REPLACE:</b><br>Cables & connecting parts.                                                                                                                 |       |        |         |         | X      |

Use only genuine TuffStuff replacement parts. Failure to do so will void warranty and could result in serious injury or death.

**TuffStuff Fitness International**  
**Chino, CA 91710, USA**  
[www.tuffstufffitness.com](http://www.tuffstufffitness.com)    BNH3137

10 [www.tuffstufffitness.com](http://www.tuffstufffitness.com) CLH-300 Horizontal Plate Load Leg Press/Hack Squat



## WARNING:

THE FOLLOWING CONDITIONS MAY INDICATE A WORN CABLE. REPLACE IMMEDIATELY.



"NECKING", STRECHED CABLE COVERING



A CRACK IN THE CABLE COVER



A TEAR IN THE CABLE COVER



A BREAK ON THE CABLE



CABLE END SLIPPING OUT

## IMPORTANT NOTE:

DAMAGED OR WORN CABLES (AS SHOWN ABOVE) MAY DAMAGE THE PULLEY(S). YOU MUST INSPECT THE PULLEYS AT THIS TIME FOR WEAR AND TEAR. REPLACE IF NEEDED.

# Step 1





## Step 1 Assembly List

| Item # | Description                                | Qty. |
|--------|--------------------------------------------|------|
| *1     | BASE FRAME                                 | 1    |
| *2     | REAR STABILIZER                            | 1    |
| 18     | REINFORCEMENT PLATE 1/4 X 2 1/2 X 7        | 1    |
| 21     | PLASTIC HORIZONTAL ELLIPTICAL SHOE W/LOCK  | 2    |
| 23     | FLAT WASHER SAE Z/P 1/2"                   | 4    |
| 33     | NYLON INSERT LOCK NUT Z/P 1/2-13           | 2    |
| 35     | HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 3 3/8 | 2    |

### NOTE:

1. IT IS STRONGLY RECOMMENDED THAT TWO PEOPLE PARTICIPATE IN THE ASSEMBLY OF THIS UNIT.



### Fully Tighten

Wrench tighten all hardware in this step.

# Step 2






## Step 2 Assembly List

| Item # | Description                            | Qty. |
|--------|----------------------------------------|------|
| *5     | CARRIAGE                               | 1    |
| 9      | LINEAR SHAFT 2 RD. X 48 1/4            | 2    |
| 22     | FLAT WASHER SAE Z/P 3/8"               | 2    |
| 24     | SPLIT LOCK WASHER Z/P 3/8"             | 2    |
| 27     | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 1 | 2    |

### NOTE:

1. SLIDE LINEAR SHAFTS INTO CARRIAGE.



Fully Tighten



**Fully Tighten**

Wrench tighten all hardware in this step.

# Step 3




## Step 3 Assembly List

| Item # | Description                                | Qty. |
|--------|--------------------------------------------|------|
| *3     | LINEAR SHAFT HOUSING FRAME                 | 1    |
| 22     | FLAT WASHER SAE Z/P 3/8"                   | 2    |
| 23     | FLAT WASHER SAE Z/P 1/2"                   | 3    |
| 24     | SPLIT LOCK WASHER Z/P 3/8"                 | 2    |
| 25     | SPLIT LOCK WASHER Z/P 1/2"                 | 3    |
| 27     | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 1     | 2    |
| 34     | HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 1 1/2 | 3    |

### NOTE:

1. SLIDE THE CARRIAGE TOWARDS THE BACK AND HOLD IT IN PLACE AS SHOWN BELOW.
2. HAVE THE OTHER PERSON BRING THE LINEAR SHAFT FRONT FRAME (#\*3) INTO PLACE WHILE YOU GUIDE THE LINEAR SHAFTS INTO PLACE.
3. BOLT DOWN.



Loosely Tighten 

70%




Loosely tighten all hardware in this step.  
DO NOT Fully Tighten. Some component(s)  
may need pre-assembly and or alignment  
during the assembly process.

# Step 4



## Step 4 Assembly List

| Item # | Description                                | Qty. |
|--------|--------------------------------------------|------|
| *4     | FRONT UPRIGHT                              | 1    |
| *10    | LEFT HANDLE                                | 1    |
| *11    | RIGHT HANDLE                               | 1    |
| 19     | REINFORCEMENT PLATE 1/4 X 2 X 8 1/2        | 1    |
| 22     | FLAT WASHER SAE Z/P 3/8"                   | 4    |
| 23     | FLAT WASHER SAE Z/P 1/2"                   | 6    |
| 25     | SPLIT LOCK WASHER Z/P 1/2"                 | 2    |
| 26     | NYLON INSERT LOCK NUT Z/P 3/8-16           | 2    |
| 29     | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 2 3/4 | 2    |
| 33     | NYLON INSERT LOCK NUT Z/P 1/2-13           | 2    |
| 34     | HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 1 1/2 | 2    |
| 35     | HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 3 3/8 | 2    |



Loosely Tighten

70%





Loosely tighten all hardware in this step. DO NOT Fully Tighten. Some component(s) may need pre-assembly and or alignment during the assembly process.

# Step 5



## Step 5 Assembly List

| Item # | Description                                | Qty. |
|--------|--------------------------------------------|------|
| *6     | FRONT CARRIAGE POST                        | 1    |
| *7     | WEIGHT CARRIAGE                            | 1    |
| 22     | FLAT WASHER SAE Z/P 3/8"                   | 2    |
| 23     | FLAT WASHER SAE Z/P 1/2"                   | 2    |
| 25     | SPLIT LOCK WASHER Z/P 1/2"                 | 2    |
| 26     | NYLON INSERT LOCK NUT Z/P 3/8-16           | 1    |
| 28     | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 2 1/4 | 1    |
| 34     | HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 1 1/2 | 2    |
| 78     | RUBBER WASHER 1 7/8 ID X 4 1/4 OD X 9/16   | 2    |
| 84     | WEIGHT COLLAR 49 MM ID X 7/8 X 2 3/4       | 2    |



Fully Tighten

100%



**Fully Tighten**

Wrench tighten all hardware in this and previous loosely tightened steps.



# Step 6 Cable Routing





| Step 6 Assembly List |                                            |      |
|----------------------|--------------------------------------------|------|
| Item #               | Description                                | Qty. |
| 16                   | CABLE                                      | 1    |
| 17                   | BLACK NYLON PULLEY 3/8 X 1 X 3 1/2         | 2    |
| 20                   | CABLE END THREADED HOUSING                 | 1    |
| 22                   | FLAT WASHER SAE Z/P 3/8"                   | 4    |
| 25                   | SPLIT LOCK WASHER Z/P 1/2"                 | 2    |
| 26                   | NYLON INSERT LOCK NUT Z/P 3/8-16           | 2    |
| 30                   | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 3 1/4 | 2    |
| 53                   | FINISHED HEX NUT B-Z/P 1/2-13              | 1    |
| 59                   | ROD END 1/2-13                             | 1    |
| 60                   | SPLIT BOLT GR-5 Z/P 1/2-13 X 1 (RND CUT)   | 1    |

## NOTE:

1. BE SURE THE PULLEYS ARE INSTALLED AND THE WEIGHT CARRIAGE IS FULLY RESTING ON THE BUMPER PRIOR TO FULLY FASTENING NUT (#53). (SEE FIG. A, FIG. B)



INSTALL PULLEYS AFTER ROUTING CABLE AS SHOWN BELOW.



**Fully Tighten**



Wrench tighten all hardware in this step.

# Step 7



## Step 7 Assembly List

| Item # | Description                               | Qty. |
|--------|-------------------------------------------|------|
| 8      | FOOT PLATE                                | 2    |
| 15     | RUBBER FOOT PLATE COVER                   | 2    |
| 22     | FLAT WASHER SAE Z/P 3/8"                  | 6    |
| 26     | NYLON INSERT LOCK NUT Z/P 3/8-16          | 6    |
| 32     | FLAT HEAD SOCKET CAP SCREW Z/P 3/8-16 X 3 | 6    |





**Fully Tighten**  
Wrench tighten all hardware in this step.

# Step 8



## Step 8 Assembly List

| Item # | Description                            | Qty. |
|--------|----------------------------------------|------|
| 12     | SEAT PAD                               | 1    |
| 13     | BACK PAD                               | 1    |
| 14     | SHOULDER PAD                           | 2    |
| 22     | FLAT WASHER SAE Z/P 3/8"               | 8    |
| 27     | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 1 | 8    |




**Fully Tighten**  
Wrench tighten all hardware in this step.

# Rail Wheel Replacement Step 1



NOTE:


1. TWO PEOPLE REQUIRED TO PERFORM THESE STEPS.



## Rail Wheel Replacement Step 2

NOTE:

1. HAVE ONE PERSON HOLD THE LINEAR SHAFTS WHILE YOU REMOVE THE REAR STABILIZER AND THEN SLIDE THE CARRIAGE OUT.




## Rail Wheel Replacement Step 3



Note:

1. INVERT THE CARRIAGE ON THE FLOOR TO PERFORM THIS STEP.
2. REPLACE ANY DAMAGED RAIL WHEELS.




## Rail Wheel Replacement Step 4

INSTALLATION IS THE REVERSE OF REMOVAL. (DO NOT INSTALL THE SEAT PAD UNTIL COMPLETING RAIL WHEEL ADJUSTMENT ON NEXT PAGE)


# Rail Wheel Adjustment Step 1



NOTE:  
1. REPEAT THESE STEPS ON A NEEDED BASIS WHEN THE CARRIAGE FEELS LOOSE ON THE RAILS.



# Rail Wheel Adjustment Step 2



## STEP 9

WHILE HOLDING SCREW FROM STEP 7 WITH AN ALLEN WRENCH, GENTLY FULLY TIGHTEN NUT USING A 9/16" SOCKET.

## STEP 8

WHILE HOLDING SCREW FROM STEP 7 WITH AN ALLEN WRENCH, GENTLY FULLY TIGHTEN NUT USING A 9/16" SOCKET.

## STEP 11

TIGHTEN SCREW ENOUGH TO ALLOW THE CARRIAGE TO ROLL SMOOTHLY.

## STEP 10

TIGHTEN SCREW ENOUGH TO ALLOW THE CARRIAGE TO ROLL SMOOTHLY.

## STEP 7

GENTLY SCREW BACK IN UNTIL YOU FEEL THE WHEELS HAVE COME INTO CONTACT WITH THE LINEAR SHAFTS. ROLL THE CARRIAGE BACK AND FORTH TO TEST FOR SMOOTHNESS. IF IT ROLLS SMOOTHLY YOU MAY PROCEED TO NEXT STEP. IF NOT, MAKE NECESSARY ADJUSTMENTS.

# Parts List



COLOR CHART  
GRAY= SUB-ASSEMBLY PARTS  
BLACK= HARDWARE

## CLH-300 Parts List

| Item No. | Description                                                 | Rev. | Part No. | Qty. | Item No. | Description                                            | Part No. | Qty. |
|----------|-------------------------------------------------------------|------|----------|------|----------|--------------------------------------------------------|----------|------|
| 1        | BASE FRAME                                                  | 0    | UP8392   | 1    | 54       | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 1 1/4             | BNH2038  | 1    |
| 2        | REAR STABILIZER                                             | 0    | UP8393   | 1    | 55       | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 4                 | BNH2267  | 3    |
| 3        | LINEAR SHAFT HOUSING FRAME                                  | 1    | UP8394   | 1    | 56       | HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 4 1/4             | BNH2101  | 4    |
| 4        | FRONT UPRIGHT                                               | 3    | UP8395   | 1    | 57       | HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 6 3/4             | BNH3292  | 1    |
| 5        | CARRIAGE                                                    | 0    | UP8396   | 1    | 58       | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 1 3/4             | BNH2040  | 1    |
| 6        | FRONT CARRIAGE POST                                         | 0    | UP8397   | 1    | 59       | ROD END 1/2-13                                         | BNH1828  | 1    |
| 7        | WEIGHT CARRIAGE                                             | 0    | UP8398   | 1    | 60       | SPLIT BOLT GR-5 Z/P 1/2-13 X 1 (RND CUT)               | BNH2478  | 1    |
| 8        | FOOT PLATE                                                  | 0    | UP8399   | 2    | 61       | PLASTIC INSERT CAP 1 1/4" RD 10-12 GA                  | BNH3275  | 6    |
| 9        | LINEAR SHAFT 2 RD. X 48 1/4                                 | 0    | UP8400   | 2    | 62       | PLASTIC INSERT CAP 1 7/8" RD 10-14 GA                  | BNH0003  | 2    |
| 10       | LEFT HANDLE                                                 | 1    | UP8401   | 1    | 63       | PLASTIC INSERT CAP 2 X 3                               | BNH0052  | 2    |
| 11       | RIGHT HANDLE                                                | 1    | UP8402   | 1    | 64       | PLASTIC INSERT CAP 2 X 3 11-14 GA W/NOTCH              | BNH3289  | 6    |
| 12       | SEAT PAD                                                    | 0    | UP8403   | 1    | 65       | PLASTIC INSERT CAP 2" SQ                               | BNH0012  | 2    |
| 13       | BACK PAD                                                    | 0    | UP8404   | 1    | 66       | PLASTIC INSERT CAP ELLIPTICAL 2 X 4                    | BNH1794  | 3    |
| 14       | SHOULDER PAD                                                | 1    | UP8405   | 2    | 67       | PLASTIC TUBE GLIDE 2 X 1 X 8                           | BNH1874  | 2    |
| 15       | RUBBER FOOT PLATE COVER                                     |      | BNH1647  | 2    | 68       | PULL PIN 1/2 X 5 5/8 LIGHT SPRING                      | BNH0701  | 1    |
| 16       | CABLE                                                       | 0    | UP8415   | 1    | 69       | RAIL WHEEL 1/2 X 2 1/4 RD X 3                          | BNH2472  | 4    |
| 17       | BLACK NYLON PULLEY 3/8 X 1 X 3 1/2 (P-35375-H)              |      | BNH0553  | 4    | 70       | ROLLER WHEEL                                           | BNH2869  | 3    |
| 18       | REINFORCEMENT PLATE 1/4 X 2 1/2 X 7                         | 0    | UP8264   | 1    | 71       | RUBBER BUMPER 2 1/4 W X 5 1/2 L X 2 H W/2 HOLES        | BNH3290  | 1    |
| 19       | REINFORCEMENT PLATE 1/4 X 2 X 8 1/2                         | 0    | UP8406   | 1    | 72       | RUBBER BUMPER 3/8 X 2 1/2                              | BNH0511  | 1    |
| 20       | CABLE END THREADED HOUSING                                  | 0    | UP8018   | 1    | 73       | RUBBER BUMPER W/WASHER 3/8 X 1 1/2                     | BNH0514  | 1    |
| 21       | PLASTIC HORIZONTAL ELLIPTICAL SHOE W/LOCK                   |      | BNH3236  | 2    | 74       | STEEL BUMPER WASHER Z/P 3/8"                           | BNH0498  | 1    |
| 22       | FLAT WASHER SAE Z/P 3/8"                                    |      | BNH2030  | 44   | 75       | RUBBER FOOT FOR 6 X 4 1/4 PLATE                        | BNH1647  | 2    |
| 23       | FLAT WASHER SAE Z/P 1/2"                                    |      | BNH2031  | 29   | 76       | RUBBER GRIP 1 ID X .125 X 5 5/8                        | BNH3287  | 2    |
| 24       | SPLIT LOCK WASHER Z/P 3/8"                                  |      | BNH2032  | 4    | 77       | RUBBER GRIP 1 ID X .125 X 7 1/4                        | BNH3288  | 2    |
| 25       | SPLIT LOCK WASHER Z/P 1/2"                                  |      | BNH0572  | 15   | 78       | RUBBER WASHER 1 7/8 ID X 4 1/4 OD X 9/16 TK            | BNH0933  | 2    |
| 26       | NYLON INSERT LOCK NUT Z/P 3/8-16                            |      | BNH2028  | 21   | 79       | SHOULDER BOLT ALLOY 1/2 X 2 1/8                        | BNH3291  | 2    |
| 27       | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 1                      |      | BNH2037  | 12   | 80       | SINGLE STRAND CONNECTING LINK #40                      | BNH0066  | 1    |
| 28       | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 2 1/4                  |      | BNH2042  | 1    | 81       | SOCKET CAP SCREW GR-8 Z/P 3/8-16 X 3 3/4               | BNH2372  | 2    |
| 29       | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 2 3/4                  |      | BNH2045  | 2    | 82       | SOCKET SET SCREW Z/P 10-32 X 1/8                       | BNH2088  | 2    |
| 30       | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 3 1/4                  |      | BNH2050  | 2    | 83       | SPLIT LOCK WASHER B-Z/P 1/4                            | BNH2686  | 4    |
| 31       | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 4 1/2                  |      | BNH2052  | 2    | 84       | WEIGHT COLLAR 49MM ID X 7/8 X 2 3/4                    | BNH3403  | 2    |
| 32       | HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 3 1/4                  |      | BNH2050  | 2    | 85       | YELLOW GRIP 1/2 X 4                                    | BNH3059  | 1    |
| 33       | NYLON INSERT LOCK NUT Z/P 1/2-13                            |      | BNH2029  | 7    | 86       | PULL PIN AXLE 5 3/8 X 1/2 K-101T DRILLED               | BNH3294  | 1    |
| 34       | HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 1 1/2                  |      | BNH2171  | 9    | 87       | PULL PIN LIGHT SPRING 17/32 X 1 1/2 K-105              | BNH0503  | 1    |
| 35       | HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 3 3/8                  |      | BNH2047  | 4    | 88       | PULL PIN NUT 25/64 X 3/4-10 K-103                      | BNH0181  | 1    |
| 36       | HEX KEY ALLOY 3/32"                                         |      | BNH0372  | 1    | 89       | NYLON SPACER 3/8 X 7/8 X 3/8                           | BNH0392  | 1    |
| 37       | HEX KEY ALLOY 7/32"                                         |      | BNH0575  | 1    | 90       | HEX HEAD CAP SCREW Z/P 5/16-18 X 1                     | BNH4140  | 1    |
| 38       | HEX KEY ALLOY 1/4"                                          |      | BNH0375  | 1    | 91       | RAIL WHEEL 1/2 X 2 1/4 RD X 3 (1 BUSHING)              | BNH4320  | 2    |
| 39       | HEX KEY ALLOY 5/16"                                         |      | BNH0374  | 1    | 92       | LABEL-CAUTION CHECK PULL-PIN IS FULLY... 1 1/2 X 1 3/8 | BNH2912  | 2    |
| 40       | BACK PAD BRACKET                                            | 0    | UP8408   | 1    | 93       | LABEL-DANGER CHECK RETAINING NUT... 1.5 X 1            | BNH3146  | 2    |
| 41       | CARRIAGE COVER PLATE                                        | 0    | UP8409   | 1    | 94       | LABEL-DANGER DO NOT REMOVE... 7/8 X 1 1/2              | BNH2906  | 1    |
| 42       | COVER PLATE LT                                              | 0    | UP8410   | 1    | 95       | LABEL-DANGER USE THIS EQUIPMENT ONLY...                | BNH2903  | 1    |
| 43       | COVER PLATE RT                                              | 0    | UP8411   | 1    | 96       | LABEL-IMPORTANT FOR SMOOTH PERFORMANCE...              | BNH2916  | 2    |
| 44       | RAIL WHEEL AXLE                                             | 0    | UP8412   | 1    | 97       | LABEL-INSPECTIONS RECOMMENDED INSPECTION...            | BNH3137  | 1    |
| 45       | RELEASE HANDLE                                              | 0    | UP8413   | 1    | 98       | LABEL-SCHEDULE REPLACEMENT PARTS...                    | BNH3135  | 1    |
| 46       | SELECTOR TUBE                                               | 1    | UP8414   | 1    | 99       | LABEL-TFI SERIAL NO. 2.5 X 1.5                         | BNH3147  | 1    |
| 47       | FACILITY SIGN BE ALERT! THE FITNESS EQUIPMENT...            |      | BNH3138  | 1    | 100      | LABEL-WARNING ATTENTION USERS!... 2X1.5                | BNH2911  | 1    |
| 48       | BRONZE BUSHING SAE 841 (302033) .502X.628 X 1/2 X 7/8 X 1/8 |      | BNH0528  | 2    | 101      | LABEL-WARNING KEEP BODY, HANDS, 1 1/2 X 2 1/4          | BNH2908  | 1    |
| 49       | BUTTON HEAD SOCKET CAP SCREW B-Z/P 1/4-20 X 1/2             |      | BNH4091  | 4    | 102      | LABEL-WARNING KEEP BODY, HANDS... 1 1/2 X 2 5/8        | BNH2909  | 2    |
| 50       | BUTTON HEAD SOCKET CAP SCREW GR-8 Z/P 1/2-13 X 2            |      | BNH2403  | 2    | 103      | LABEL-WARNING SERIOUS INJURY OR DEATH                  | BNH3134  | 1    |
| 51       | BUTTON HEAD SOCKET CAP SCREW Z/P 3/8-16 X 1                 |      | BNH2033  | 1    | 104      | LABEL-WARRANTY LIGHT COMMERCIAL                        | BNH3136  | 1    |
| 52       | BUTTON HEAD SOCKET CAP SCREW Z/P 3/8-16 X 1 1/4             |      | BNH2984  | 1    | 105      | TFI EMBLEM 1.88 HIGH X 1.98 WIDE BLUE AND CHROME       | BNH4304  | 1    |
| 53       | FINISHED HEX NUT B-Z/P 1/2-13                               |      | BNH2516  | 1    | 106      | HEX TAP BOLT W/HOLE Z/P 1/2-13 X 3 1/2 (1/8 CABLE)     | BNH3307  | 1    |


### PRE-ASSEMBLED COMPONENTS

| Item No. | Description                | Rev. | Part No. | Qty. | Item No. | Description         | Rev. | Part No. | Qty. |
|----------|----------------------------|------|----------|------|----------|---------------------|------|----------|------|
| *1       | BASE FRAME                 | 0    | UP8392X1 | 1    | *6       | FRONT CARRIAGE POST | 0    | UP8397X1 | 1    |
| *2       | REAR STABILIZER            | 0    | UP8393X1 | 1    | *7       | WEIGHT CARRIAGE     | 0    | UP8398X1 | 1    |
| *3       | LINEAR SHAFT HOUSING FRAME | 1    | UP8394X1 | 1    | *10      | LEFT HANDLE         | 1    | UP8401X1 | 1    |
| *4       | FRONT UPRIGHT              | 3    | UP8395X1 | 1    | *11      | RIGHT HANDLE        | 1    | UP8402X1 | 1    |
| *5       | CARRIAGE                   | 1    | UP8396X1 | 1    | *16      | CABLE               | 0    | UP8415X1 | 1    |


# Pre-Assembled Components




**\*1** UP8392X1




**\*2** UP8393X1




**\*3** UP8394X1




**\*4** UP8395X1



**\*6** UP8397X1




**\*10** UP8401X1



# Pre-Assembled Components




\*5 UP8396X1




# Pre-Assembled Components




## \*7 UP8398X1



## \*11 UP8402X1



## \*16 UP8415X1





# LIGHT COMMERCIAL WARRANTY

This warranty applies only in the United States to the products manufactured or distributed by TuffStuff Fitness International (TFI) under the TuffStuff brand name. TFI warrants to the original purchaser that TuffStuff equipment will be free from defects in material and workmanship. All warranty periods begin to run from the date of purchase to the original purchaser. The warranty and remedies set forth herein are conditioned upon proper storage, installation, use and maintenance and conformance with any recommendations of TFI. This warranty does not cover products not manufactured by TFI or products which are altered without the express written consent of TFI.

## LIGHT COMMERCIAL WARRANTY:

- TEN (10) Years:** Structural main frames, welds, cams and weight plates.
- FIVE (5) Years:** Pivot bearings, pulleys, bushings, guide rods and gas shocks.
- ONE (1) Year:** Belts, linear bearings and pull-pin components.

All other parts not mentioned elsewhere in the warranty will expire one (1) year from the date of purchase to the original purchaser.

- SIX (6) Months:** Upholstery, cables, finish and rubber grips.

### Light Commercial Use:

Light Commercial Warranty applies to facilities like hotels, apartment complexes, personal training studios, fire & police stations, etc. where the equipment would be used by no more than 30 people per day.

## HOME LIFETIME WARRANTY:

**LIFETIME of the equipment while owned by the original purchaser (applies only to defects from manufacturer only).**

### This warranty does not cover:

1. TuffStuff products sold for and used in a commercial or institutional environment.
2. Any damage, failure or loss caused by accident, misuse, neglect, abuse, improper assembly, improper maintenance, or failure to follow instructions or warnings in the owner's manual and warning labels posted on the machines.
3. Use of the product in a manner for which it was not designed.
4. Original product that is altered, or the use of replacement parts and components of another manufacturer other than TuffStuff.

The obligation of TFI under this warranty is limited to repairing or replacing warranted defective parts as TFI may elect, at TFI's facility in Chino, California, without charge to the purchaser. Purchaser is responsible for installation of repaired or replaced parts, and all transportation and insurance costs on returned or replaced equipment to and from TFI's facility in Chino.

**THE FOREGOING SHALL CONSTITUTE THE SOLE REMEDY OF THE PURCHASER AND THE SOLE LIABILITY OF TFI WITH REGARD TO WARRANTY. NO IMPLIED STATUTORY WARRANTY OR IMPLIED STATUTORY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE SHALL APPLY. IN NO EVENT, WHETHER AS A RESULT OF BREACH OF CONTRACT, WARRANTY, NEGLIGENCE OR OTHERWISE, SHALL TFI BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS OR REVENUE, LOSS OF USE OF EQUIPMENT, COST OF CAPITAL, COST OF SUBSTITUTION EQUIPMENT, DOWNTIME COST, OR CLAIMS OF CUSTOMERS OR PURCHASER FROM SUCH DAMAGE.**

This written warranty is the final, complete and exclusive agreement of the parties with respect to the quality or performance of the equipment and no action for breach of this written warranty or any implied warranty shall be commenced more than one (1) year after the accrual of the cause of action. No modification of this warranty or waiver of its terms shall be binding on either party unless approved in writing by an authorized representative of the party. Contact TuffStuff Fitness International at 13971 Norton Avenue, Chino, CA 91710, before returning any defective equipment.

This warranty gives you specific legal rights and you may also have other rights, which may vary from state to state.

**SERIAL #**

Write your Serial number here for future reference

Purchase Date



## TuffStuff Fitness International, Inc.

13971 Norton Avenue, Chino, CA 91710, USA Phone: 909-629-1600 Fax: 909-629-4967  
www.tuffstufffitness.com service@tuffstuff.net or service1@tuffstuff.net