



*Assembly Guide & Warranty Card Included

RC400 RECUMBENT BIKE OWNER'S MANUAL



Transcend Console



Escalate¹⁵ Console



Escalate⁹ Console



Emerge Console

RC400 RECUMBENT BIKE OWNERS MANUAL

IMPORTANT:

All Products shown are prototype. Actual product delivered may vary.

Product specifications, features & software are subject to change without notice.

For the most up to date owner's manual please visit www.truefitness.com.

For documents in additional languages please visit www.truefitness.com/document-library/29/international-manuals

IMPORTANTE:

Todos los productos mostrados son prototipos. La realidad el producto suministrado puede diferir.

Especificaciones de productos, características y software están sujetas a cambios sin previo aviso.

Para la más actualizada de este manual del propietario, por favor visite www.truefitness.com

Para los documentos en otros idiomas, por favor visite www.truefitness.com/document-library/29/international-manuals

IMPORTANT:

Tous les produits présentés sont prototype. Le produit réel livré peut varier.

Spécifications du produit, caractéristiques et logiciels sont sujettes à modification sans préavis.

Pour la plus à jour le manuel du propriétaire s'il vous plaît visitez www.truefitness.com.

Pour documents dans des langues supplémentaires, veuillez www.truefitness.com/document-library/29/international-manuals de visite

重要提示：

显示所有产品的原型。实际交付的产品可能有所不同

产品规格，功能和软件如有更改，恕不另行通知

迄今为止对于大多数的使用说明书，请访问www.truefitness.com

对于其他语言的文档，请访问www.truefitness.com/document-library/29/international-manuals

هام:

جميع المنتجات المعروضة هي النموذج. قد تختلف المنتج الفعلي تسليمها.

مواصفات المنتج، والميزات والبرامج قابلة للتغيير دون إشعار.

www.truefitness.com لمعظم ما يصل حتى الآن دليل المالك يرجى زيارة

www.truefitness.com/document-library/29/international-manuals للمستندات في لغات إضافية، يرجى زيارة

WICHTIG:

Alle hier gezeigten Produkte sind Prototypen. Das tatsächliche Produkt ausgeliefert wird, kann variieren.

Produkt-Spezifikationen, Funktionen und Software können sich ohne vorherige Ankündigung ändern.

In den meisten Fällen bis zu Bedienungsanleitung Bisher besuchen Sie bitte www.truefitness.com.

Für Dokumente in weiteren Sprachen finden Sie unter www.truefitness.com/document-library/29/international-manuals

BELANGRIJK:

Alle getoonde producten zijn prototype. Daadwerkelijke product geleverd kan verschillen.

Product specificaties, eigenschappen & software zijn onderhevig aan verandering zonder kennisgeving.

Voor de meest actuele handleiding van de eigenaar kunt u terecht www.truefitness.com.

Voor documenten in andere talen kunt u terecht op www.truefitness.com/document-library/29/international-manuals

ВАЖНО:

Все товары указаны прототипа. Фактический продукт, поставляемый могут отличаться.

Технические характеристики, особенности и программного обеспечения могут быть изменены без предварительного уведомления.

Для получения самой последней на сегодняшний день руководство по эксплуатации пожалуйста, посетите

www.truefitness.com

Для документов на другие языки, пожалуйста, посетите www.truefitness.com/document-library/29/international-manuals

RC400 RECUMBENT BIKE OWNERS MANUAL

Frank Trulaske began TRUE Fitness over thirty-five year ago with the simple philosophy of delivering superior fitness products, service and support. Today, TRUE is the global leader in premium fitness equipment for the commercial and residential markets. Our goal is to be the leader in technology, innovation, performance, safety and style. TRUE has received many awards for its product over the years and remains the benchmark for the industry. Fitness facilities and consumers invest in TRUE products for their durable commercial platforms used in all its products, both commercial and residential alike.

The proud manufacturing tradition of quality and the culture of innovation at TRUE have given rise to a full line of extraordinary cardio and strength equipment. As a result, people all over the world are benefiting from the TRUE experience. Innovation across the full product line has made TRUE successful and is a trademark of the TRUE heritage. TRUE's patented Heart Rate Control technology is just one of the remarkable ways we deliver simple and superior performance every user can enjoy, and most importantly, use to achieve personal health and fitness goals.

At the heart of our success is the relentless and systematic life testing of both our products and their components. We have dedicated employees who understand our philosophy is to deliver the best products in the world.

Our goal is to deliver the world's best premium equipment for our customers' health and fitness solutions.

RC400 RECUMBENT BIKE OWNERS MANUAL

TABLE OF CONTENTS:

Chapter 1: Safety Instructions

| | |
|-----------------------------|---|
| Safety Instructions..... | 1 |
| Space Requirements..... | 3 |
| Grounding Instructions..... | 4 |
| Power Requirements..... | 5 |
| Warning Decals..... | 6 |
| Compliances..... | 6 |

Chapter 2 Assembly Instructions

| | |
|-----------------------------|---|
| Pre-Assembly Checklist..... | 7 |
| Assembly Steps..... | 9 |

Chapter 3: Product Overview

| | |
|--------------------|----|
| Bike Overview..... | 25 |
|--------------------|----|

Chapter 4: Programming & Operation

| | |
|-----------------------------|----|
| Heart Rate Monitoring..... | 27 |
| Heart Rate Control..... | 27 |
| Program Descriptions..... | 29 |
| Virtual Active® Videos..... | 32 |

Chapter 4A: Transcend Operation

| | |
|---------------------------------|----|
| Transcend Overview..... | 34 |
| Touchscreen Introduction..... | 36 |
| Touchscreen Navigation..... | 36 |
| Web Browser..... | 42 |
| iPod® Integration..... | 43 |
| Bluetooth Audio..... | 44 |
| TV Controls..... | 46 |
| Virtual Active®..... | 47 |
| Netpulse®..... | 47 |
| Advanced Console Functions..... | 48 |

Chapter 4B: Escalate¹⁵ Operation

| | |
|--------------------------------------|----|
| Escalate ¹⁵ Overview..... | 65 |
| Console Navigation..... | 67 |
| TV Controls..... | 71 |
| iPod® Integration..... | 72 |
| Bluetooth Audio..... | 73 |
| Advanced Console Functions..... | 75 |

Chapter 4C: Escalate⁹ Operation

| | |
|---------------------------------|----|
| Escalate 9 Overview..... | 91 |
| Console Navigation..... | 93 |
| Advanced Console Functions..... | 99 |

Chapter 4D: Emerge Operation

| | |
|---------------------------------|-----|
| Emerge Overview..... | 108 |
| Console Navigation..... | 110 |
| Advanced Console Functions..... | 112 |

Chapter 5: Care & Maintenance

| | |
|---|-----|
| Care & Maintenance..... | 117 |
| Cleaning the Equipment..... | 117 |
| Lubrication..... | 117 |
| Other Scheduled Preventive Maintenance..... | 118 |
| Long Term Storage..... | 118 |

Chapter 6: Customer Service

| | |
|---|-----|
| Contacting Service..... | 119 |
| Contacting Sales..... | 119 |
| Reporting Freight Claims or Parts Damage..... | 120 |

Chapter 7: Additional Information




| | |
|---------------------------|-----|
| Troubleshooting..... | 121 |
| Specification Sheet..... | 124 |
| Warranty Information..... | 126 |

CHAPTER 1 SAFETY INSTRUCTIONS



IMPORTANT SAFETY INSTRUCTIONS






SAVE THESE SAFETY INSTRUCTIONS

This bike is intended for commercial or institutional setting. This owner's manual should be accessible to all personal trainers, staff members, and members.


-  WARNING: All EXERCISERS MUST READ ALL INSTRUCTIONS BEFORE USING THE BIKE.
-  WARNING: Heart rate monitoring systems may be inaccurate for some individuals. Over-exercising may result in serious injury or death. If you feel faint, stop exercising immediately.
-  WARNING: Equipment should be immediately taken out of use if it fails to work properly or when a warning is presented electronically.

TRUE STRONGLY recommends seeing a physician for a complete medical exam before undertaking an exercise program, particularly if the user has a family history of high blood pressure or heart disease, is over the age of 45, smokes, has high cholesterol, is obese or has not exercised regularly in the past year. Additionally, TRUE recommends consulting a fitness professional on the correct use of this product. If at any time while exercising the user experiences faintness, dizziness, pain or shortness of breath, he or she must stop immediately.

-  WARNING: To reduce the risk of electrical shock, always unplug this TRUE product before cleaning or attempting any maintenance activity. Do not handle the plug with wet hands.
-  WARNING: To reduce the risk of burns, fire, electric shock or injury, it is imperative to connect each product to a properly grounded 110V electrical outlet. A risk of electrical shock may result from improper connection of the equipment's grounding conductor. Check with a qualified electrician if you are unsure about proper grounding techniques. Do not modify the plug provided with this product. If it will not fit an electrical outlet, have a proper outlet installed by a qualified electrician. Your TRUE Fitness product must be properly grounded to reduce risk of shock if the bike malfunctions. Your bike is equipped with an electrical cord, which includes an equipment grounding conductor and a grounding plug. The plug must be inserted into an outlet that has been properly installed and grounded in accordance with all local codes and ordinances. A temporary adapter cannot be used to connect this plug to a two-pole receptacle in North America. If a properly grounded 15 amp outlet is not available, a qualified electrician must install one.

-  WARNING: Do not move the Equipment by lifting the console. Do not use the console as a handlebar during a workout.
-  WARNING: This product contains chemicals known to the state of California to cause cancer and birth defects or other reproductive harm.
-  WARNING: Keep equipment stable on flat ground.
-  WARNING: Replace warning labels that may be worn, damaged or missing
-  WARNING: Replace any non-working or damaged components; remove the unit from service until repair is performed.

CHAPTER 1 SAFETY INSTRUCTIONS

 **WARNING:** To reduce the risk of burns, fire and electric shock or injury to persons, follow these instructions:

- This appliance should never be left unattended when plugged in.
- Do not use any type of extension cord with this product.
- Unplug it from the outlet when not in use and before any servicing.
- Do not operate the equipment while being covered with a blanket, plastic, or anything that insulates or stops airflow.

CAUTION:

- Do not use typing or web surfing features at excessive speeds. Always stabilize yourself by holding a stationary handle when using typing or web surfing features. (Varies by console option)
- Health related injuries may result from incorrect or excessive use of exercise equipment.
- Do not use the contact heart rate grips as a handlebar during a workout.
- Any changes or modifications to this equipment could void the product warranty.
- To disconnect plug remove from electrical outlet.
- The RC400 bike is self-generated and does not require the use of an electrical outlet with the LED console. Optional TFT or touch screen consoles require 110V AC input and 9V DC 1.5Amp output for console operation only.
- Use a TRUE AC power cord or AC/DC adapter only
- Note the plug configuration for the power adapter may vary by country.
- The batteries within self-generated equipment contain materials that are considered hazardous to the environment. Federal law requires proper disposal of these batteries.
- Position this product so the power cord plug is accessible to the user.
- Keep the power cord away from heated surfaces. Do not pull the equipment by the power cord or use the cord as a handle. Do not run the power cord along the side or under the Bike.
- If the bike power supply cord is damaged it must be replaced by the manufacturer, an authorized service agent, or a similarly qualified person to avoid a hazard.
- Do not use this product in areas where aerosol spray products are being used or where oxygen is being administered. Such substances create the danger of combustion and explosion.
- Always follow the console instructions for proper operation. Close supervision is necessary when used near children under the age of 15, or disabled persons.
- Do not use this product outdoors, near water, while wet, or in areas if high humidity including extreme temperature changes
- Never operate a TRUE product with the air openings blocked. Keep air openings free of lint, hair or any obstructing material.
- Never insert objects into any openings in this product. If an object should drop inside, turn off the power, unplug the power cord from the outlet and carefully retrieve it. If the item cannot be reached, contact TRUE Customer Service.
- Never place liquids of any type directly on the unit except in the accessory tray or bottle holders. Containers with lids are recommended.
- Wear shoes with rubber or high traction soles. Do not use shoes with heels, leather soles, cleats or spikes. Make sure no stones are embedded in the soles. Do not use this product in bare feet. Keep all loose clothing, shoelaces and towels away from moving parts.
- Do not reach into or underneath the unit, or tip it on its side during operation.


CHAPTER 1 SAFETY INSTRUCTIONS

⚠ CAUTION (CONTINUED):

- Use correct ergonomic positioning while operating the bike.
- Do not allow animals on or near the equipment while in operation.
- Do not exceed maximum user weight of 400 lbs (159 kg).
- Avoid exiting bike while the pedals are still in motion.
- Do not use if you have a cold or fever.
- When using this exercise machine, basic precautions should always be followed.
- Use this bike only for its intended use as described in this manual.
- Do not use attachments not recommended by the manufacturer.
- Allow only trained personnel to service this equipment.
- Avoid the possibility of bystanders being struck or caught between moving parts by making sure that they are out of reach of the bike while it is in motion.
- Allow only one person at a time on the bike while it's operating.
- It is the sole responsibility of the owner/operator to ensure regular and scheduled maintenance is performed.
- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.
- Children shall not play with the appliance.
- Cleaning and user maintenance shall not be made by children without supervision.

SPACE REQUIREMENTS:

- TRUE's recommendation is to leave a 39" safety zone at rear of bike. The sides of the bike should be at least 20" away from the wall or obstructions. (See Fig 1)




CHAPTER 1 SAFETY INSTRUCTIONS

GROUNDING INSTRUCTIONS:

This product must be grounded, if it should malfunction or breakdown, grounding provides a path of least resistance for electric current to reduce the risk of electric shock. This product is equipped with a cord having an equipment-grounding conductor and a grounding plug. The plug must be plugged into an appropriate outlet that is properly installed and grounded in accordance with all local codes and ordinances.

DANGER:

- Improper connection of the equipment-grounding conductor can result in a risk of electric shock.
- Check with a qualified electrician or serviceman if you are in doubt as to whether the product is properly grounded. Do not modify the plug provided with the product – if it will not fit the outlet; have a proper outlet installed by a qualified electrician.
- Do not remove any covers or you may risk injury due to electric shock.
- The 120-V model is for use on a nominal 120-V circuit and has a grounding plug that looks like the plug illustrated in figure A. Make sure the product is connected to an outlet having the same configuration as the plug. No adaptor should be used with this product.
- The 230-V model is for use on a circuit having a nominal rating more than 120-V and is factory-equipped with a specific electric cord and has a grounding plug that looks like the plug illustrated in figure B. Make sure that the product is connected to an outlet having the same configuration as the plug in Figure B. No adaptor should be used with this product. If the product must be reconnected for use on a different type of electric circuit, the reconnection should be made by qualified service personnel.



CHAPTER 1 SAFETY INSTRUCTIONS

POWER REQUIREMENTS FOR **TRUE** PRODUCTS

Information Sheet 2010

NOTE: Read and understand all instructions on this sheet and in the Owner's manual before plugging any TRUE power cord into an electrical outlet. This information sheet will help you identify the voltage and cords you need where you live and will outline requirements for:

- Grounded, dedicated lines
- Voltage
- Power cords
- Power adapters
- Extension cords

!DANGER: Improper connection of the equipment-grounding conductor can result in risk of electric shock. Check with a qualified electrician or service provider if you are in doubt as to whether the equipment is properly grounded or installed on a dedicated line. Seek a qualified electrician to perform any modifications to the cord or plug. TRUE is not responsible for injuries or damages as a result of cord or plug modification.

!CAUTION: Place cords away from heat (such as baseboards). Use care to arrange any cord so it doesn't become an obstacle.

Extension Cords

Do not use an extension cord to supply power to any TRUE product.

Grounded, Dedicated Line

TRUE equipment must be grounded. If it should malfunction or break down, grounding provides a path of least resistance for electric current to reduce the risk of electric shock. TRUE cords (except for cycle adapters) have an equipment-grounding conductor and a grounding plug. The plug must be plugged into an appropriate outlet that is properly installed and grounded in accordance with all local codes and ordinances where you live. Do not use a ground plug adapter to adapt the power cord to a non-grounded outlet. Do not use a GFCI outlet or GFCI circuit breaker. A dedicated line will assure that adequate power is available for safe operation over the life of your TRUE Product.

Voltage

Voltage required for your unit is located on the serial number decal (usually on the front of the unit). Depending on where you live voltage requirements differ.

For example, in the United States some TRUE treadmills require a circuit rated 115 VAC, 60 Hz and 20 amps. See Figure 1. However, a home typically has 15 amp outlets. In this case, contact an electrician to install a 20 amp dedicated line prior to use. See Figure 2.




Figure 1




Figure 2







Figure 3

CHAPTER 1 SAFETY INSTRUCTIONS

WARNING DECALS:

 **WARNING:** Replace warning labels that may be worn, damaged or missing.
To replace any worn or missing warning decals contact TRUE FITNESS by one of the following: www.truefitness.com or contact customer service at 800-883-8783.



COMPLIANCES:

This equipment complies with all applicable codes and regulations. For a complete list of compliances, please visit www.truefitness.com

CHAPTER 2: ASSEMBLY INSTRUCTIONS





⚠ CAUTION:

- Read and understand all instructions and warnings prior to use.
- Obtain a medical exam before beginning any exercise program. If at any time during exercise you feel faint, dizzy, or experience pain, stop and consult your physician.
- Obtain proper instruction prior to use.
- Inspect the bike for incorrect, worn, or loose components and do not use until corrected, replaced, or tightened prior to use.
- Do not wear loose or dangling clothing while using bike.
- Care should be used when mounting or dismounting bike.
- Disconnect all power (if applicable) before servicing bike.
- Do not exceed maximum user weight of 400 lbs.
- Keep children and animals away.
- Use caution when moving and assembling bike.
- All exercise equipment is potentially hazardous. If attention is not paid to the conditions of equipment usage, death, or serious injury could occur.
- Save these instructions.

*Should you need technical assistance in assembly of your TRUE Fitness product, contact TRUE Fitness Technical Support at 1-800-883-8783.

PRE-ASSEMBLY CHECK LIST:

Provided Tools:


















| 4MM HEX WRENCH | 5MM HEX WRENCH |
|---|--|
|  |  |
| Used during step 3 & 6 | Used during step 7 |
| 6MM HEX WRENCH | PEDAL WRENCH |
|  |  |
| Used during step 1, 2, 5 & 11 | Used during step 15 |

NOTE: Phillips Head Screwdriver (used during steps 9, 12, 13, & 14) is NOT provided

CHAPTER 2: ASSEMBLY INSTRUCTIONS

PRE-ASSEMBLY CHECK LIST (CONTINUED):

Provided Hardware:

| STEP 1 & 2 (FRONT & REAR STABILIZER BARS) | STEP 4 (SEAT HANDLEBAR) |
|---|--|
|  Hex Screw, M10xL55 (X1) Qty. 4 |  Counter-bore Hex Screw, M8xL20 (C4) Qty. 4 |
|  Split Washer, M10 (S1) Qty. 4 |  Hex Screw, M8xL20 (X4) Qty. 2 |
|  Flat Washer, M10 (F1) Qty. 4 |  Split Washer, M8 (S4) Qty. 2 |
| STEP 5 (SEAT BACK FRAME PIVOT ASSEMBLY) |  Flat Washer, M8 (F4) Qty. 2 |
|  Hex Screw, M6xL15 (X5) Qty. 8 | STEP 6 (REAR SEAT PIVOT COVER) |
|  Split Washer, M8 (S5) Qty. 8 |  Phillips Head Screw, M5xL15 (X6) Qty. 2 |
|  Flat Washer, M8 (F5) Qty. 8 |  Flat Washer, M5 (F6) Qty. 2 |
| STEP 7 (SEAT BACK FRAME COVER) | STEP 11 (FRONT MAST) |
|  Phillips Head Screw, M5xL20 (X7) Qty. 4 |  Hex Screw, M10xL16 (X11) Qty. 5 |
| STEP 15 (CONSOLE COVERS) |  Split Washer, M10 (S11) Qty. 5 |
|  Phillips Head Screw, M4xL10 (X15) Qty. 4 |  Flat Washer, M10 (F11) Qty. 5 |

CHAPTER 2: ASSEMBLY INSTRUCTIONS


BIKE ASSEMBLY STEPS:

⚠ CAUTION:

- Use caution when assembling bike. It is recommended that at least two people unpack and assemble bike.
- Remove all bike components from packaging.
- For each step use hardware in the corresponding bag

Sub-Assembly Identification:

Use the image below as a reference for where the provided sub-assemblies will be located in the complete bike assembly:




CHAPTER 2: ASSEMBLY INSTRUCTIONS

BIKE ASSEMBLY STEPS (CONTINUED):


Step 1 & 2 Front and Rear Stabilizer Bars:

⚠ CAUTION:

- It is recommended that at least 2 people are used to assemble the bike
- To protect the floor from damage, rest the bike frame on a large piece of cardboard packaging




- For each screw (#24), install through flat washer (#21)
- Insert Front Stabilizer into the metal bracket
- Wheels of Front Stabilizer should be forward, as shown (left)
- Install each screw assembly (quantity 2) through the top of the metal bracket, then into the Front Stabilizer
- Tighten using the provided 6mm hex wrench



- For each screw (#24), install through flat washer (#21)
- Insert Rear Stabilizer into the metal bracket
- Install each screw assembly (quantity 2) through the top of the metal bracket, then into the Rear Stabilizer
- Tighten using the provided 6mm hex wrench

CHAPTER 2: ASSEMBLY INSTRUCTIONS

BIKE ASSEMBLY STEPS (CONTINUED):



Step 3 Seat Latch Handle:

- Insert Seat Latch Handle into Seat Carriage
- Insert screws (#28, quantity 2)
- Tighten using the provided 4mm hex wrench

Step 4 Seat Handlebar Cable Connections:


- At least one person should hold the Handlebar while another completes the remaining cable connection steps
- Prior to connection, verify the Handlebar is in the correct orientation; visible screws on the metal contact pads should be facing down
- Connect the Handlebar cables with the cables coming from the upper portion of the seat back.
- Connect cable located in the back opening of the seat carriage to the single cable coming from the upper portion of the seat back.

Step 5 Seat Handlebar Assembly:

- Insert the Handlebar bracket into the back opening of the Seat Carriage
- Again, verify that the Handlebar is in the correct orientation
- Insert screws (#173, quantity 4) through the Seat Carriage, into the Handlebar bracket
- Tighten using the provided 6mm hex wrench

CHAPTER 2: ASSEMBLY INSTRUCTIONS

BIKE ASSEMBLY STEPS (CONTINUED):



Step 6 Seat Cushion:

- For each screw (#140) insert through quantity 1 split washer (#142) then 1 flat washer (#141)
- Place the Seat Cushion onto the top of the Seat Carriage
- Insert each screw assembly (quantity 4) through the sides of the Seat Cushion bracket, into the sides of the Seat Carriage
- Tighten using the provided 4mm hex wrench

Step 7 Seat Back:

- For each screw (#170) insert through quantity 1 split washer (#142)
- Align the Seat Back holes with the Seat Back Frame holes
- Insert each screw assembly (quantity 4) through the Seat Back Frame tube, into the Seat Back
- Tighten using the provided 5mm hex wrench


Step 8 Seat Back Cover:

- Align posts on the plastic Seat Back Cover with the mating features on the Seat Back
- Snap the Seat Back Cover onto the Seat Back

CHAPTER 2: ASSEMBLY INSTRUCTIONS


BIKE ASSEMBLY STEPS (CONTINUED):

Step 9 Water Bottle Holder:



- Place Water Bottle Holder Top onto the Handlebar tube (as shown, left)
- Align the Water Bottom Holder Bottom component with the Water Bottle Holder Top component
- Insert each screw (#129, quantity 6) through the Water Bottle Holder Bottom component and Handlebar tube, into the Water Bottle Holder Top component
- Tighten using Phillips head screwdriver (not provided)

Step 10 Front Mast Preparation:




- Insert Bottom Console Cover onto the Front Mast Tube (as shown, left)
- Insert Mast Boot onto the Front Mast Tube (as shown, left)
- Verify that the Bottom Console Cover and Mast Boot are in the correct orientation (as shown, left)


CHAPTER 2: ASSEMBLY INSTRUCTIONS

BIKE ASSEMBLY STEPS (CONTINUED):

Step 11 Front Mast Cable Routing:




Step 12 Front Mast Assembly:



CHAPTER 2: ASSEMBLY INSTRUCTIONS


BIKE ASSEMBLY STEPS (CONTINUED):

Step 13 Console Mounting:



- The fasteners used to attach the Console are provided in the Console packaging
- Align the back of the Console with the Front Mast Console Mounting Plate
- Attach the Console to the Mounting Plate by tightening all 4 screws with a Phillips head screwdriver (not provided)

Step 14 Grounding Wire Connection:



- Locate the Ground Screw; pre-installed into the Front Mast Mounting Plate
- Remove the Ground Screw with a Phillips head screwdriver (not provided)
- Insert the shaft of the Ground Screw through the metal ring attached to the green Console Ground Wire
- Re-attach the Ground Screw to the Front Mast Mounting Plate
- Verify that the metal Ground Ring is compressed between the head of the Ground Screw and the Front Mast Mounting Plate

CHAPTER 2: ASSEMBLY INSTRUCTIONS

BIKE ASSEMBLY STEPS (CONTINUED):

Step #15A Console Cable Connections:


*Follow Step 15A if installing a touchscreen console or 15" TFT console. For other consoles, proceed to Step 15B.



16" Touchscreen Console



15" TFT Console




NOTE: Ethernet & Coaxial cable connections are not available on the Orange LED or 9" TFT Consoles
The Ethernet Port on the 15" TFT Console is non-functioning
All Ground Wires Must be connected

CHAPTER 2: ASSEMBLY INSTRUCTIONS

BIKE ASSEMBLY STEPS (CONTINUED):

Step #15A Console Cable Connections (continued):

*Follow Step 15A if installing a touchscreen console or 15" TFT console. For other consoles, proceed to Step 15B.



NOTE: Ethernet & Coaxial cable connections are not available on the Orange LED or 9" TFT Consoles
The Ethernet Port on the 15" TFT Console is non-functioning
All Ground Wires Must be connected

CHAPTER 2: ASSEMBLY INSTRUCTIONS

BIKE ASSEMBLY STEPS (CONTINUED):

Step 15B Console Cable Connections:

*Follow Step 15B if installing a 9" TFT console or an LED console. For other consoles, return to Step 15A.



9" TFT Console




Orange LED Console




Connect Data Cable (USB)

Both 9" TFT & Orange LED Consoles



9" TFT Console



Orange LED Console


Connect Power Cable (2-pin)

NOTE: Ethernet & Coaxial cable connections are not available on the Orange LED or 9" TFT Consoles
All Ground Wires Must be connected

CHAPTER 2: ASSEMBLY INSTRUCTIONS


BIKE ASSEMBLY STEPS (CONTINUED):

Step 16 Console Cover:



- For all hardware, tighten using a Phillips head screwdriver (not provided)
- Attach the Top Console Cover to the Front Mast Mounting Plate using 4 screws (#221)
- Slide the Bottom Console Cover up the Front Mast tube until it mates with the Top Console Cover
- Attach the Bottom Console Cover to the Front Mast tube using 2 screws (#221)

Step 17 Pedals:



- Align the Left Pedal with the Left Crank and the Right Pedal with the Right Crank; Pedals should be clearly labeled on the Pedal Strap
- Secure each Pedal to the appropriate Crank using the provided pedal wrench

NOTE: The Left Pedal is reverse-threaded (turn counter-clockwise to tighten)


CHAPTER 2: ASSEMBLY INSTRUCTIONS

BIKE ASSEMBLY STEPS (CONTINUED):

Power Supply Installation:


*These installation steps are only required if this unit is paired with a touchscreen console or a 15" TFT console.

Step A Remove Left Rear Shroud:



- Unscrew quantity 9 screws from the Left Rear Shroud, using a Phillips head screwdriver (not provided)
- Left Rear Shroud will now separate from the Right Rear Shroud and U-Shaped Rear Cover
- Remove the Left Rear Shroud from the Frame, to expose the internal Power Supply mounting location


Step B Mount and Zip Tie Power Supply:




CHAPTER 2: ASSEMBLY INSTRUCTIONS

BIKE ASSEMBLY STEPS (CONTINUED):

Step C Disconnect Lower Board Power Cable:




Step D Connect Power Supply:



CHAPTER 2: ASSEMBLY INSTRUCTIONS


BIKE ASSEMBLY STEPS (CONTINUED):

Step E: Re-install Left Rear Shroud:




- Align the Left Rear Shroud with the Right Rear Shroud and U-Shaped Rear Cover components
- Re-install quantity 9 screws to the Left Rear Shroud, using a Phillips head screwdriver (not provided)

Unit Leveling (if necessary):



Turn feet (4x, located on the Front and Rear Stabilizer) to adjust the levelness of the unit.


Final Unit Connections:



CHAPTER 2: ASSEMBLY INSTRUCTIONS

WIRING DIAGRAMS:


RC400 Wiring Diagram
w/Optional Power Supply



CHAPTER 2: ASSEMBLY INSTRUCTIONS

WIRING DIAGRAMS (CONTINUED):

RC400 Wiring Diagram
Self-Generating Power



CHAPTER 3: PRODUCT OVERVIEW

BIKE OVERVIEW:



CHAPTER 3: PRODUCT OVERVIEW

RECUMBENT BIKE OVERVIEW (CONTINUED):

Console Assembly:

The console allows the user to set up a workout program and control the bike during a workout (For console overview and operation instructions refer to the owner's manual for the selected console option).

Contact Heart Rate Pads:

Allows the user to check their heart rate without wearing a wireless chest strap.

Seat Adjustment Handle:

Used to adjust the position of the seat to a comfortable position for the user.

Pedals:

Moving part of the bike that provides resistance to the lower body during a workout.

Leveling Feet:

An adjustable system used to aid in the leveling the bike.

Battery Charge Port:

An external port used to charge the unit's internal battery.

Coaxial Port:

Delivers television signal to the unit.

Ethernet Port:

Used to provide a network connection for compatible console options.

Power Cord:

Delivers power from the wall outlet to the bike.

CHAPTER 5: CARE & MAINTENANCE

CARE & MAINTENANCE:

It is important to perform the minor maintenance tasks described in this section. Failure to maintain the bike as described here could void the TRUE Fitness Warranty. To reduce the risk of electrical shock, always unplug the unit from its power source before cleaning or performing any maintenance tasks.

Inspection:

TRUE Fitness is not responsible for performing or scheduling regular maintenance or inspections.

Users should inspect the bike daily. Look and listen for slipping belts, loose fasteners, unusual noises, worn or frayed power cords, and any other indications that the equipment may be in need of service. If any of these are noticed, obtain service. Do not attempt to use the bike until proper service has been performed or damaged parts have been replaced.

Important:

If you determine that the bike needs service, make sure that the bike cannot be used inadvertently. Turn the unit off, and then unplug the power cord from its power source. Make sure other users know that the bike needs service.

To order parts or to contact a TRUE Authorized Service representative, please visit www.truefitness.com.

CLEANING THE EQUIPMENT:

After Each Use:

Use GymWipes™ Antibacterial wipes or spray a solution of 30 parts water to 1 part mild detergent to dampen a soft cloth and wipe all exposed surfaces.

Use a LCD/screen cleaner or spray a solution of 1 part 91% isopropyl alcohol and 1 part water to dampen a soft cloth and wipe the surface of the console. This helps remove fingerprints, dust, and dirt.

Weekly:

Vacuum any dust or dirt that might have accumulated under or around the bike or any cover vents.

*Clogged air vents can prevent adequate cooling, causing a shortened life.

CAUTION:

Do not use any acidic cleaners. Doing so will weaken the paint or powder coatings and may void the TRUE Fitness Warranty. Never pour water or spray liquids on any part of the bike. Allow the bike to dry completely before using. Frequently vacuum the floor underneath the unit to prevent the accumulation of dust and dirt, which can affect the smooth operation of the unit.

LUBRICATION:

Remove the pedals from the crank quarterly and lubricate the threads that attach the pedals to the cranks to prevent corrosion.

Note: The user's left side pedal is reverse threaded.

CHAPTER 5: CARE & MAINTENANCE

OTHER SCHEDULED PREVENTIVE MAINTENANCE:

TRUE recommends that yearly scheduled maintenance be performed by a qualified service technician. Please contact your dealer or visit www.truefitness.com to contact a local TRUE authorized service technician.

Scheduled Preventive Maintenance:

- Check error log in console.
- Remove shroud covers and vacuum any debris out of the speed sensor, control electronics and moving parts.
- Move unit and vacuum underneath.
- Check belt tension and tracking.
- Inspect all fasteners.
- Inspect all electrical connections.
- Inspect all components for abnormal or premature wear.
- Inspect and lubricate pedal threads on bike to prevent corrosion.

CAUTION:

Use only TRUE Fitness certified service providers.

LONG TERM STORAGE:

When the bike is not in use for any length of time, turn it off. Make sure that the power cord is unplugged from the power source and is positioned so that it will not become damaged or interfere with people or other equipment.

Storing the Chest Strap:

Store the chest strap in a place where it remains free of dust and dirt such as, in a closet or drawer. Be sure to protect the chest strap from extremes in temperature. Do not store it in a place that may be exposed to temperatures below 32° F (0° C). To clean the chest strap, use a sponge or soft cloth dampened in mild soap and water. Dry the surface thoroughly with a clean towel.

CHAPTER 6: CUSTOMER SERVICE

CONTACTING SERVICE:

TRUE Fitness recommends that you gather the serial number, model number, and a brief description of the reason for the request. After information has been gathered you may choose to contact your selling dealer or local service company to set an appointment. (If you are not familiar with who is in your area, you may visit our website at www.truefitness.com and use our dealer locator to obtain the contact information for the closest dealer)

You may also contact TRUE Fitness' customer support team by calling 800.883.8783 or e-mailing us at service@truefitness.com Monday – Friday during normal business hours.

TRUE FITNESS SERVICE DEPARTMENT

865 HOFF ROAD

ST. LOUIS, MO 63366

1.800.883.8783

HOURS OF OPERATION: 8:30 A.M. - 5:00 P.M. CST

E-MAIL: service@truefitness.com

CONTACTING SALES:

Interested in TRUE Products? Please contact us with any sales or product inquiries so that we may direct you to the appropriate sales representative to answer your questions.

TRUE FITNESS HOME OFFICE

865 HOFF ROAD

ST. LOUIS, MO 63366

1.800.426.6570

HOURS OF OPERATION: 8:30 A.M. - 5:00 P.M. CST

E-MAIL: sales@truefitness.com

CHAPTER 6: CUSTOMER SERVICE

REPORTING FREIGHT OR PARTS DAMAGE:

Unfortunately, sometimes materials can be damaged during shipment. If materials are damaged during shipment, please follow the guidelines below to determine the appropriate process for you to follow in case of damages.

Severe Damage:

Obvious damage to external packaging / internal product. Please **refuse** the shipment and it will be returned to TRUE Fitness by the carrier. Contact the TRUE Fitness customer support team by calling 800.883.8783 or sales support team by calling 800.426.6570 Monday-Friday during normal business hours to notify us that the shipment has been refused. Once we have received the damaged shipment, a replacement shipment will be sent to you. Only refuse the damaged piece if the shipment is multiple boxes.

Slight Damage:

The box may have minimal damages and you are not sure if the actual product is damaged or not. You **must** sign the bill of lading as damaged when accepting the shipment. Once you have opened the box and you have determined something is indeed damaged please gather the serial number, model number, description and photos of damages. Please make sure the photos include the damaged product as well as the damaged box the product arrived in. Contact the TRUE Fitness customer support team by calling 800.883.8783 or sales support team by calling 800.426.6570 Monday-Friday during normal business hours.

Concealed Damage:

You may receive a shipment that looks intact and discover once the box has been opened that there are hidden damages. Please notify the carrier **immediately**. We will not be able to file a claim if the carrier is not notified in a timely manner. Once you have called the carrier you will need to gather the serial number, model number, description and photos of damages. Contact the TRUE Fitness customer support team by calling 800.883.8783 or sales support team by calling 800.426.6570 Monday-Friday during normal business hours.

CHAPTER 7: ADDITIONAL INFORMATION

TROUBLESHOOTING GUIDE:

This troubleshooting guide is intended to assist in diagnostics only and is not all inclusive. Technical specifications, error codes and programming are subject to change without notice. TRUE accepts no liability for any damage or loss suffered by persons whom rely wholly or in part on any description or statement contained within this manual. Please visit www.truefitness.com to obtain the most recent version of all manuals and contact the TRUE Service Department at 800-883-8783 for assistance with troubleshooting and diagnostics.

| Malfunction | Possible Cause | Corrective Action |
|---|---|---|
| No Power | Unit is turned off | Verify the On/Off switch is at the ON position |
| | Damaged power cord | Replace power cord |
| | Power cord not fully seated in socket | Inspect power connection at the unit and outlet |
| | No power at wall outlet | Use a voltmeter to verify power at wall outlet |
| | Optional ERP board damaged | Contact True Fitness Customer Service Department |
| | Battery is discharged | Charge the battery overnight with optional power supply |
| | Motor control board damaged | Contact True Fitness Customer Service Department |
| Unit resets or pauses randomly | Damaged power cord | Replace power cord |
| | Power cord not fully seated in socket | Inspect power connection at the unit and outlet |
| | Insufficient power | Verify output voltage from 20A outlet with a voltmeter |
| | Error code is displayed on console | Contact True Fitness Customer Service Department |
| | Speed sensor out of alignment | Contact True Fitness Customer Service Department |
| | Pinched or loose main communication cable | Contact True Fitness Customer Service Department |
| Resistance hesitates or slips when pedaling | Loose belt tension | Contact True Fitness Customer Service Department |
| Rubbing or knocking sound from unit when in operation | Uneven floor | Adjust equipment with leveling feet. |
| | Loose hardware | See Chapter 5: inspections |
| | Loose Pedal | See Chapter 5: inspections |
| | Bearings may be damaged | Contact True Fitness Customer Service Department |
| | Brake assembly may be damaged | Contact True Fitness Customer Service Department |
| | Drive belt may be misaligned | Contact True Fitness Customer Service Department |
| No TV displayed or low quality | Low or bad video signal | Contact video provider |
| | | NTCS dBmV 0 through 15.6 ATCS/QAM dBmV -10 through 15.5 |
| | Loose F type connector (coaxial cable) | inspect all connections |
| | Encrypted video | Obtain set top box from video provider |
| | Channels or format type not correct | Verify video type with provider; analog (NTCS), digital air (ATCS), digital cable (QAM) |
| | | Rescan TV channels |
| | Tuner Invalid | Contact True Fitness Customer Service Department |

CHAPTER 7: ADDITIONAL INFORMATION

TROUBLESHOOTING GUIDE (CONTINUED):

| | | |
|--|--|--|
| Heart rate is displaying erratically or not displaying | Transmitter belt contacts are not making good contact with the skin | Readjust the transmitter belt so that it is in full contact with the skin |
| | Contacts on the transmitter belt are not moist | Moisten the contacts on the transmitter belt |
| | Transmitter belt is not within 3 feet (1 meter) of the heart rate receiver | Adjust your position on the belt so that you are within 3 foot (1 meter) of the console |
| | Transmitter belt is not the correct frequency or is encoded | Polar equip or compatible receiver use 4.8kHz un-encoded receiver |
| | The battery inside the transmitter belt is depleted | replace the transmitter belt with a compatible transmitter belt |
| | Another user wearing a compatible transmitter strap is within 3 foot (1 meter) of the unit | Move the units so that there is more space in-between units |
| | Environmental interference from high voltage power lines | Move the unit to another position within the room or move the cause of the interference until heart rate reading are stable. If the probable source of interference is plugged into the same outlet move the suspect source to another outlet. |
| | Environmental interference from computers | |
| | Environmental interference from motor driven appliances | |
| | Environmental interference from cell or cordless phone | |
| | Environmental interference from Wi-Fi router | |

| Fault Code | Category | Description | Cause | Corrective Action |
|---|----------|--|---|--------------------------------|
| Fault CN00: Corrupted Console Configuration | Console | Corrupted brainboard configuration - fails integrity check | Corrupt software | Power cycle |
| | | | | Re-configure console |
| | | | Firmware and software versions are not compatible | Re-install software/firmware |
| | | | | Contact dealer or TRUE service |
| Fault CN01: Internal Fault | Console | Math error - software | Console Configure incorrectly | Power cycle |
| | | | | Re-configure console |
| | | | Corrupt Software | Re-install software/firmware |
| | | | | Contact dealer or TRUE service |

CHAPTER 7: ADDITIONAL INFORMATION

TROUBLESHOOTING GUIDE (CONTINUED):

| | | | | |
|--|---------|---|---|--------------------------------|
| Fault CN02: Invalid Console Configuration | Console | The product configuration data has failed validation checks (incline ranges make no sense, etc.) | Console Configure incorrectly | Power cycle |
| | | | Incline Motor out of range | Re-configure console |
| | | | Loose Cable | Contact dealer or TRUE service |
| Fault CN03: Stuck Key | Console | Membrane Key stuck down/closed | Membrane key is damaged | Contact dealer or TRUE service |
| Fault CN04: Lower Board Comm Fault (Treadmill Only) | Console | Brainboard fails to receive timely communication responses from lower board - Fault after 3 retries | Unit is configured as a treadmill | Re-configure console |
| Fault CN05: No Lower Control | Console | No lower board connected to console - detection wires not connected. | Loose Cable | Power cycle |
| | | | Console Configure incorrectly | Check cable connections |
| Fault CN06: Config Mismatch | Console | Console is configured for a product different than that to which it is connected. | Console Configure incorrectly | Re-configure console |
| | | | Loose Cable | Check cable Connections |
| Fault CN07: Calibration Timeout | Console | Incline Calibration was not able to complete within allowed time. | Unit is configured as a treadmill | Re-configure console |
| Fault CN08: Calibration Failed - Lower Limit Not Reached | Console | During incline calibration, the incline stalled before reaching what should be the lower limit. | Unit is configured as a treadmill | Re-configure console |
| Fault CN09: Insert Safety Key | Console | Emergency Circuit opened | Unit is configured as a treadmill | Re-configure console |
| Fault CN10: E-Stop Fault | Console | A test of the emergency circuit has failed | Unit is configured as a treadmill. | Re-configure console |
| Fault CN24: BB Comm Fault | Console | SBC cannot communicate with Brainboard | Console | Power cycle |
| | | | | Contact dealer or TRUE service |
| Fault CN25: Firmware Mismatch | Console | Firmware on brainboard not compatible with SBC software | Corrupt software | Power cycle |
| | | | Firmware and software versions are not compatible | Reconfigure Console |
| | | | | Re-install software/firmware |
| | | | | Contact dealer or TRUE service |

CHAPTER 7: ADDITIONAL INFORMATION



COMMERCIAL LIMITED WARRANTY RC400 RECUMBENT BIKE

Save Time and Register Online!

Activate Multiple Warranties at www.truefitness.com/support

All TRUE® Fitness products are distributed by TRUE and are warranted to the original registered product purchaser and the parts of the TRUE product (the "Product") listed below, under normal use and service, shall be free of manufacturing defects in workmanship and materials only for the period of time beginning from the original date of purchase set forth below:

| Frame* | Lifetime |
|---|----------------------------|
| Parts | |
| Transcend Touchscreen | 3 Years |
| Escalate ¹⁵ Console | 3 Years |
| Electrical | 5 Years |
| Wear Items | 5 Years |
| Cosmetics | 6 Months |
| Labor | |
| Parts | 2 Years |
| Cosmetics | 6 Months |
| iPod® Connectivity | |
| Headphone Jack, Connector & USB Port | 90 Days Parts, No Labor |

NOTE: Warranty valid for USA and Canada only.

NOTE: Failure to register this product will result in no servicing or authorization of parts to be shipped.

NOTE: Buying after-market products from a 3rd party will result in voided warranty.

NOTE: This product is intended for Commercial use which includes non-dues paying facilities where usage does not exceed 8 hours per day. If this product will not be used in this particular setting, please contact TRUE as this warranty is void.

Frame: The frame is warranted for defects in material and workmanship for as long as the original purchaser owns the Product. The frame is warranted for labor and freight (for parts shipped from TRUE) for two years from date of purchase.

* This limited warranty on structural frame does not include paint or coatings.

Parts: The recumbent bike electrical parts and wear items are warranted for defects in material and workmanship for five years with one year labor warranty. The Transcend touchscreen and Escalate¹⁵ console are warranted for defects in material and workmanship for three years with two years labor warranty. This limited warranty does not cover damage or equipment failure resulting from or caused by

improper assembly/installation, failure to follow instructions and warnings in owner's manual, accident, misuse, abuse, unauthorized modification, or failure to provide reasonable and necessary maintenance. *TRUE Fitness shall not warrant the performance of the heart rate system on its products, as the heart rate system performance varies, based on user's physiology, age, method of use and other factors. * This limited warranty shall not apply to software version upgrades.

Cosmetics: The recumbent bike cosmetic parts are warranted for defects in material and workmanship for six months with labor warranty to match the parts warranty period. This limited warranty does not cover damage or equipment failure resulting from or caused by improper assembly/installation, failure to follow instructions and warnings in owner's manual, accident, misuse, abuse, unauthorized modification, or failure to provide reasonable and necessary maintenance. This limited warranty will apply to but may not be limited to plastic covers, shrouds, caps, badges, overlays, paint, coatings, pedal straps and grips.

iPod Connectivity: iPod Connectivity elements; headphone jack, connector and USB Port are warranted for defects in material and workmanship for 90 days with no labor warranty.

Labor: Labor is covered for a period of two years from the date of purchase unless otherwise expressed within this limited warranty as long as a TRUE authorized service provider performs the service. Service that requires over 50 miles of travel may be subject to additional charges. Reasonable and necessary maintenance guidelines can be found in the owner's manual.

Claims Procedure: TRUE Limited Warranty service may be obtained by contacting the authorized TRUE dealer from whom the Product was purchased. If the dealer from whom the Product was purchased is no longer an authorized TRUE dealer, then TRUE Limited Warranty service may be obtained by contacting TRUE directly at:

TRUE Fitness, Service Department
865 Hoff Road, St. Louis, MO 63366
1.800.883.8783
Hours of operation 8:30am - 5:00 pm CST

CHAPTER 7: ADDITIONAL INFORMATION



COMMERCIAL LIMITED WARRANTY RC400 RECUMBENT BIKE

Save Time and Register Online!

Activate Multiple Warranties at www.truefitness.com/support

1. This Limited Warranty can be processed only if the Warranty Registration Form is completed on-line; or if the attached form is filled in, signed by the original purchaser and mailed to TRUE within 30 days of purchaser's receipt of this Product. The serial number must be intact on the Product for this Limited Warranty to be valid.

2. This Limited Warranty applies to the product only while the Product remains in the possession of the original purchaser and is not transferable.

3. This Limited Warranty becomes VALID ONLY if the Product is initially assembled/installed by a TRUE authorized dealer/technician (if anyone other than a TRUE authorized dealer/technician initially assembles and installs the Product, this Limited Warranty will be void unless the written authorization of TRUE is first obtained).

4. This Limited Warranty does not cover damage or equipment failure resulting from or caused by improper assembly/installation, failure to follow instructions and warnings in owner's manual, accident, misuse, abuse, unauthorized modification, or failure to provide reasonable and necessary maintenance (as referenced in the owner's manual.)

5. This Limited Warranty applies only to the cost of repair or replacement of parts and does not include labor (beyond the above warranty period), transportation, service, return and freight charges associated there with expressly specified herein.

6. This Limited Warranty shall not apply to: Service calls to correct installation of the equipment or instruction to owners on how to use the equipment; or any labor costs incurred beyond the applicable labor warranty period.

7. This Limited Warranty is in lieu of all warranties, express or implied, and in lieu of all other obligations or liabilities on the part of TRUE, under no circumstances shall TRUE be liable by virtue of this Limited Warranty or otherwise from damage to any person or property whatsoever for any special, indirect, incidental, secondary or consequential losses, damages or expenses in connection with exercise products.

Any implied warranty is limited in duration to the time period covered by the Limited Warranty. Some states do not allow limitations on how long an implied warranty lasts, or the exclusion may not apply to you. This Limited Warranty grants you specific legal rights and you may also have other rights, which vary from state to state.

NOTE TO AUTHORIZED WARRANTY LABOR PROVIDERS:


Warranty labor reimbursement or warranty parts rights may not be transferred to, reassigned to, a third party without the express written consent of TRUE. Even jobbing out warranty labor requires TRUE's written approval.

CS400 RECUMBENT BIKE SERIAL NUMBERS:

The CS400 recumbent bike comes with two serial numbers; one on the base and one on the display console (see diagram below). The serial number on the base is located on bottom of the crossbar. The console serial number is located on the bottom right side of each console. Please write down your serial numbers below and keep for your records.

CONSOLE SERIAL NUMBER:

BASE SERIAL NUMBER:



SAMPLE SERIAL NUMBER STICKER:

TRUE FITNESS TECHNOLOGY, INC.
ST LOUIS, MISSOURI 63366

CONFORMS TO ANSI/UL
STD. 1647
CERTIFIED TO CAN/CSA
STD. C22.2 NO.68
Intertek
3155486
Intertek Testing Services Taiwan Ltd.

Model No.
RC400

Serial No./Date Code
13-RC400001A

Rating:
100-240 V, 50/60 Hz, 22 W

MADE IN TAIWAN

CHAPTER 7: ADDITIONAL INFORMATION



COMMERCIAL LIMITED WARRANTY RC400 RECUMBENT BIKE

Thank you for purchasing a TRUE product. To validate the TRUE product warranty the fast and easy way, please go on-line now to truefitness.com/support and register your product. The information you provide will never be distributed to any other individuals or agencies for any purpose. If you prefer to mail your warranty card, have the owner of the product complete the information below and return it to TRUE Fitness within 30 days from the date of equipment installation.

Please Note: Failure to register this product will result in no servicing or authorization of parts to be shipped.

To mail your warranty information, please fill in the information below and mail to: Service Dept., TRUE Fitness, 865 Hoff Road, St Louis, MO 63366 (or save postage and register online at www.truefitness.com/support)

Commercial Warranty Registration

**PLEASE PROVIDE BOTH SERIAL NUMBERS BELOW.
REQUIRED FOR WARRANTY REGISTRATION:**

CONSOLE SERIAL NUMBER:

BASE SERIAL NUMBER:

Model Type: CS400 Commercial Recumbent Bike

Date of Purchase _____

Your Company Name _____

Contact First Name _____

Contact Last Name _____

Address _____

City _____ State _____ ZIP _____

Email Address _____ Website _____

Phone _____ Fax _____

1. Where did you first learn about TRUE?

- ☐ a. Dealer ☐ b. Website
☐ c. Advertisement ☐ d. Referral
☐ e. Current Customer ☐ f. Other _____

2. Why did you purchase a TRUE product?

- ☐ a. Design/Appearance ☐ b. Dealer Suggestion
☐ c. Price/Value ☐ d. Quality Construction
☐ e. Performance ☐ f. TRUE Reputation
☐ g. Other _____

3. Please indicate your type of facility:

- ☐ a. Apartment/Condo ☐ b. Corporate Fitness Center
☐ c. Municipality ☐ d. Health Club/Gym/Spa
☐ e. Hotel/Resort ☐ f. Military Base
☐ g. Student Rec Center ☐ h. Other

4. What other types of equipment does your company currently own?

- ☐ a. Treadmill Brand _____
☐ b. Bike Brand _____
☐ c. Elliptical Brand _____
☐ d. Free Weights/Gym Brand _____

5. How many people use your facility on a daily basis?

- ☐ a. <25 ☐ b. 25-75
☐ c. 76-150 ☐ d. 150+

6. Do you plan to purchase more fitness equipment
in the next 6-12 months?

- ☐ Yes ☐ No

7. If you answered "yes" to question 6, what type do you
plan to purchase?

- ☐ a. Treadmill ☐ b. Elliptical
☐ c. Stationary Bike ☐ d. Free Weights
☐ e. Gym ☐ f. Other _____

8. Would you recommend TRUE to other club owners?

- ☐ Yes ☐ No

9. You are a valued TRUE customer and your suggestions
allow us to continually improve your experience. Is there
anything else you would like us to know? Please explain:

truefitness.com / 800.426.6570 / 1.636.272.7100

Truefitness. om / 800.426.6570 / 636.272.7100