



3	COB-400	Olympic Bench With Safety Stoppers
4	CDM-400	Deluxe Flat/Incline Bench
E .	CIP 225	Elat/Inclina Laddor Ponch

CLB-325 Flat/Incline Ladder Bench
 CMB-375 Multi-Purpose Bench
 CAC-365 Seated Arm Curl Bench

6 CHE-340 Adjustable Hyper-Extension Bench

6 CFB-305 Flat Bench

7 CAB-335 Adjustable Abdominal Bench

7 CMA-320 Mini Ab Bench

8 CCD-347 Chin/Dip/VKR/Ab Crunch/Push-Up

9 CLH-300 Horizontal Plate Loaded Leg Press/Hack Squat
 10 CPL-400 Plate Load Leg Extension/Prone Leg Curl

11 CPR-265 Power Cage & CHL-305WS High/Low Pulley

12 CHR-500 Half Cage with Safety Stoppers and Dip Handles

12 CSM-600 Smith Machine/Half Cage Combo with Safety Stoppers

13 CSM-725WS Smith Machine/Half Cage Ensemble

14 CDP-300 Dual Adjustable Pulley System

15 CXT-200 Corner Multi-Functional Trainer & CXT-225 Smith Press Attachment

16 CLM-855WS Lat/Low Row Combo Machine17 MFT-2700 Dual Stack Functional Trainer


18 CDR-300 2-Tier Tray Dumbbell/Kettle Bell Rack & CDR-300E Third Tier

19 CXT-255 Olympic Plate Tree

19 CAS-600 Accessory Storage Rack
 19 CLC-385 Leg Developer Attachment
 19 CPA-316 Preacher Curl Attachment

20 Specifications, Features & Warranty

NOTE: Olympic bars, weight plates, dumbbells and accessories used to enhance the photography are not included.



COB-400 Olympic Bench with Safety Stoppers

- Heavy weight flat press bench with built-in safety stoppers.
- 7-gauge nickel plated steel triple gun rack allows multiple racking height options.
- Adjustable safety stoppers can be positioned at optimum height to achieve full range of motion during exercise.
- Maximum weight: 800 lb/363 kg
- Bench height: 17-3/8" Pad length: 48" width: 9-1/2"

LWH: 49 x 51 x 51 in/124 x 130 x 130 cm WT: 130 lb/59 kg





Flat Bench Designed for heavy dumbbell workouts and general bench exercises. Heavyweight construction yet compact and moveable. Built-in wheels for easy roll-away. Maximum weight: 400 lb/181 kg

CAC-365

LWH: 56 x 27 x 18 in/142 x 69 x 46 cm

Seated Arm Curl Bench

WT: 50 lb/23 kg

- Large contoured arm support pad offers multiple angles for additional training options.
- Arm pad is height adjustable and can be converted into lower back pad for utility seat exercises.
- Padded bar cradles protect paint finish from scratches and chipping.
- Maximum weight: 400 lb/181 kg

LWH: 44 x 28 x 40 in/112 x 71 x 102 cm

WT: 75 lb/34 kg

CHE-340

Adjustable Hyper-Extension Bench

- Adjustable from 42° hyper angle to full roman chair workout position.
- Telescoping foot support adjustment to accommodate various height users.
- Comfortable trunk support with built-in handles.
- Built-in wheels for easy roll-away.
- Maximum weight: 400 lb/181 kg

LWH: 56 x 37 x 34 in/142 x 94 x 86 cm

WT: 90 lb/41 kg





- from 30° angle to flat.
- Built in handle for performing reverse abdominal exercises.
- Comfortable padded foot supports.
- Transport wheels allow easy roll-away.
- Maximum weight: 400 lb/181 kg

LWH: 59 x 37 x 54 in/150 x 94 x 137 cm

WT: 85 lb/39 kg

- decline exercises.
- Self-aligning comfortable padded footrolls to accommodate different leg lengths.
- Built-in wheels for easy roll-away.
- Maximum weight: 400 lb/181 kg

LWH: 44 x 27 x 22 in/112 x 69 x 56 cm

WT: 42 lb/19 kg



CCD-347 (hi

Chin/Dip/VKR/Ab Crunch/Push-Up

- Space efficient with multiple exercise options such as chin-ups, dips, knee raises, ab crunches and push-ups.
- Knurled nickel plated multi-grip pull-up station for wide, narrow, reverse and neutral grip upper body exercises.
- Dual function support pad designed for VKR back support as well as ab crunch board.
- Maximum weight 400 lb/181 kg

LWH: 44 x 45 x 84 in/112 x 114 x 213 cm

WT: 175 lb/79 kg

body weight

lower body



CLH-300

Horizontal Plate Load Leg Press/Hack Squat

- Unique 2-in-1 design allows seated leg press and prone hack squat positions off same machine.
- Seat carriage with commercial grade linear wheels riding on 2" nickel plated support rails provide optimal path of travel throughout the full range of motion.
- Dual foot plates allow a variety of foot placement options and targeted muscle isolation.
- Direct drive design provides 1:1 resistance loads.
- Maximum weight: 800 lb/363 kg

LWH: 85 x 33 x 55 in/216 x 84 x 140 cm

WT: 305 lb/138 kg



Hack Squat position

lower body







CPL-400 Plate Load Leg Extension/Prone Leg Curl Bench

- Dual purpose bench allows seated leg extension and prone leg curl exercises.
- Compact design minimizes bench length and places weight horn closer to user.
- Adjustable cam provides proper strength curve and allows multiple start positions for both exercises.
- Adjustable footroll to accommodate various leg lengths.
- Built-in handles for support and stability.
- Maximum weight: 400 lb/181 kg

LWH: 52 x 44 x 31 in/132 x 112 x 79 cm WT: 155 lb/70 kg



- adjustments tested to 800 lbs. weight load capacity.
- Wide base frame area accommodates a variety of benches, wheelchairs and rehab accessories.
- 1-1/4"nickel plated top cross bar combines as pull-up station and structural support.
- Safe and secure way to perform a variety of Olympic bar squatting, lifting and pressing exercises.
- Maximum weight: 600 lb/272 kg

• CDA-329 Dip Attachment.



CHR-500

Half Cage with safety stoppers and dip handles

- 7° slant design allows easier loading and unloading of weight bar and freedom of body movement.
- Half rack system with integrated safety stoppers, built-in chinning bar, dip handles, Olympic bar holder and weight plate storage.
- Features spring loaded/swing lock J-Hook (U.S. Patent) design for easy adjustability.
- Maximum weight: 600 lb/272 kg

LWH: 59 x 65 x 84 in/150 x 165 x 213 cm WT: 235 lb/107 kg




CSM-600


Smith Machine/Half Cage Combo with safety stoppers

- Elevated design half rack system with self-aligning linear bearing Smith Press system, integrated safety stoppers, built-in chinning bar, Olympic bar holder and weight plate storage.
- Spring loaded/swing lock J-Hook (U.S. Patent) design for easy adjustability with integrated safety stoppers.
- Smith press bar starting weight: 28 lbs.
- Option: CHL-610WS High/Low Pulley system with 200 lbs. weight stack.
- Maximum Weight: 600 lb/272 kg

LWH: 72 x 80 x 84 in/183 x 203 x 213 cm WT: 390 lb/177 kg



strength



CSM-725WS


Smith Machine/Half Cage Ensemble

- Fully loaded version of the CSM-600 features adjustable high/low cable station with dual cable lat station and fixed low row stations design for single or dual arm movements.
- Standard with built-in chinning bar, Olympic bar storage and weight plates storage.
- Smith press bar (starting weight 28 lbs.) easily stores away to allow full accessibility for cable station workouts.
- 7° slant allows freedom of body movement and range of motion.
- Ensemble package includes: CSM-600 Basic Smith machine, CHL-610WS High/Low Cable Station (200 lbs. weight stack), and CMB-375 Multi-Purpose Bench.

LWH: 79 x 80 x 84 in/201 x 203 x 213 cm

WT: 905 lb/411 kg

compact cable training



CDP-300 Dual Adjustable Pulley System

- Compact, space saving patented corner design to fit in any facility size.
- 16-position dual cable station with quick change trigger adjustments.
- Unique dual resistance ratio at the handle provides single cable hook-up at 1/4 resistance or dual cable hook-up at 1/2 resistance.
- Welded knurled nickel plated fixed multi-grip pull-up bar station for wide, narrow, reverse and neutral grip upper body exercises.
- Open frame design supports use of benches, stability balls, balance boards, Bosu trainers and ground based exercises.
- Includes two nylon handles, accessories storage rack for squat bar, low row bar and ankle strap.
- Two (2) 150 lbs. steel weight stacks (optional 200 lbs.)

LWH: 50 x 50 x 83 in/127 x 127 x 211 cm WT: 700 lb/318 kg



CXT-200

Corner Multi-Functional Trainer

- Three separate cable stations offering unlimited exercise options in one space saving, patented compact corner machine.
- Combination dual adjustable cable station with quick change trigger style adjustments and fixed Lat and Low Row Stations offer advanced training options.
- Features TuffStuff's unique dual resistance ratio at the handle provides single cable hook-up at 1/4 resistance or dual cable hook-up at 1/2 resistance.
- Solid steel rotating accessory storage rack for lat bar, low row bar, squat bar, nylon handles, ankle strap and cable bridge bracket.
- (2) 150 lbs. steel weight stacks (optional 200 lbs).

LWH (CXT-200): 44 x 79 x 84 in/112 x 201 x 213 cm

WT: 740 lb/336 kg

LWH (with CXT-225): 66 x 79 x 84 in/168 x 201 x 213 cm

WT: 922 lb/418 kg



functional fitness



- Commercially rated dual stack functional trainer delivers extreme exercise versatility for all fitness levels whether you are performing funtional fitness, sports specific, bodybuilding or rehabilitation exercises.
- Pivot arm offers 150° (14 positions) of high-to-low vertical adjustments and 165° (5 positions) of side-to-side horizontal adjustments.
- Hydraulically supported pivot arms and spring loaded selector handles make adjusting safe, simple, quick and easy.
- Rotating swivel pulley brackets provide 360° of unrestricted vertical, horizontal, diagonal and rotational resistance trajectories.
- 96 inches of extended cable travel.
- Two (2) 200 lbs. steel weight stacks.
 1/4 ratio delivers 2.5 lbs. resistance increments.
 (Maximum weight resistance per weight stack: 50 lbs.)

LWH: 63 x 118 x 83 in/160 x 300 x 211 cm WT: 750 lb/340 kg



weight storage



LWH: 31 x 27 x 47 in/79 x 69 x 119 cm WT: 58 lb/26.3 kg

CPA -316 WT: 20 lb/9 kg CAS-600 WT: 15 lb/6.8 kg

specifications & warranty

FRAME MATERIALS: 11-gauge oval & rectangular tubular steel frames with a combination of round tubing.

WELDS: All welded construction by inert-gas welding.

FINISH: Electrostatically applied powder coat finish.

FRAME COLORS: Main frame: Platinum Sparkle

Accent: Cathedral Gray

UPHOLSTERY: Black, premium grade naugahyde formulated to resist bacteria, stains, mildew and oil. Meets most flammability test requirements. Double-stitched with "hidden" borders.

PADDING: High density 2" thick rebond urethane foam glued to 1" industrial plywood backing, trimmed and formed to exact fit.

ADJUSTMENT PINS: 1/2" push-pull spring loaded solid steel adjustment pins.

BEARINGS: 1" solid steel pivot axles with non-friction 2" sealed bearings internally encased on primary pivots, and oil-impregnated bronze bushings on all secondary pivots.

GUIDE RODS: 3/4" solid steel hard chrome finish.

CABLES: 3/16" and 1/8" USA-Made/Certified EXERFLEX PRO® high performance fitness cable.

PULLEYS: 4-1/2" and 3-1/2" fiberglass-impregnated nylon pulleys with double sealed roller bearings.

SELECTOR WEIGHT PINS: Solid steel, magnetic with ball-end to ensure a tight connection and secure fit. Coiled lanyard helps prevent pin removal and loss.

FASTENERS: All frame bolts and nuts are 3/8" and 1/2" zinc oxide.

WEIGHT STACK: Solid steel weight plates with self aligning low friction sleeves.

LIGHT COMMERCIAL WARRANTY:

TEN (10) YEARS: Structural main frames, welds, cams

and weight plates.

FIVE (5) YEARS: Pivot bearings, pulleys, bushings,

guide rods and gas shocks.

ONE (1) YEAR: Cables, linear bearings and pull-pin

components.

ALL OTHER PARTS not mentioned elsewhere in the warranty will expire one (1) year from the date of purchase to the original purchaser.

SIX (6) MONTHS: Upholstery, finish and rubber grips.

Light Commercial Use: Light Commercial warranty applies only to facilities like hotels, apartment complexes, personal training studios, fire & police stations, etc. where the equipment would be used by no more than 30 people per day.

HOME LIFETIME WARRANTY*

LIFETIME of the equipment while owned by the original purchaser when used only in a HOME environment (applies to defects from manufacturer only).

* See Owner's Manual for details.

NOTICE: TuffStuff continually engages in research related to product improvement. As a result, the product received by the customer may differ slightly from its published description. Improvements in materials, production techniques and design refinement may at any time be introduced into our products. TuffStuff reserves the right to make changes in its product without notice.



13971 Norton Avenue, Chino, CA 91710, USA. PH: 909-629-1600 FX: 909-629-4967 info@tuffstuff.net www.tuffstuffitness.com